



seating inc.



every seat has a story

commercial product line

01 September 2020

COMMERCIAL TERMS & CONDITIONS

DISCLAIMER

The Terms & Conditions below expressly set forth Seating Inc.'s position and is not intended to be a full, comprehensive, and complete detail of each subject. Seating Inc. reserves the right to alter, change, modify, expand, or discontinue any of the policies set forth below. Seating Inc. further reserves the right to alter, change, modify, or discontinue its programs, policies, or relationship with any customer who violates Seating Inc.'s stated Terms & Conditions.

PRICES

All prices shown within this Pricer are Suggested List Price only and are subject to change without notice. All merchandise will be invoiced at prices prevailing at time of order placement.

ORDERS

All orders must be submitted in writing via US Mail, Fax Transmission, or Email. It is the Buyer's sole responsibility to check orders and their corresponding acknowledgements for accuracy.

MINIMUM ORDER SIZE

No minimum order required.

ACKNOWLEDGEMENTS

Every order is acknowledged by email within 72 hours of receipt and credit approval of an order. If you do not receive an order acknowledgement within 72 hours, please contact customer service at 585.468.2875. An acknowledgement will confirm quantities, items ordered and prices effective at the time of order acceptance. Orders will be manufactured and invoiced based upon the information on the acknowledgement. If there is any discrepancy, please notify Seating Inc. immediately, in writing.

LEAD TIMES

Lead times are based on receipt of a complete and correct order that has been approved for credit. If an order is subject to a credit hold, it will be scheduled for shipment only after it is released from credit hold. All order acknowledgements contain an estimated shipping date, which is subject to change.

REVISED ORDERS

Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Seating Inc. reserves the right to apply additional charges to the invoice for orders revised after manufacturing has begun. All changes must be in writing.

TERMS

All merchandise will be invoiced when shipped, upon credit approval, with standard terms of net 30. Credit cards accepted within 10 days of shipment. The Buyer agrees that Seating Inc. shall have the right to assess interest charges of 1.5% per month on invoices not paid and received by Seating Inc. within terms. The Buyer further agrees that Seating Inc. has the right to change terms, suspend shipments, or refuse orders from any delinquent account.

SECURITY

The Buyer agrees that Seating Inc. maintains a security interest and title, to all merchandise sold by it to the Buyer until all monies have been paid to Seating Inc. for said merchandise.

CANCELLATION

All orders are considered firm and are not subject to cancellation by the Buyer without written approval from Seating Inc. Management. Any cancellation requests from the Buyer must be submitted in writing within two days of receipt of purchase order to be considered for approval. Seating Inc. reserves the right to assess a Cancellation Fee of no more than 30%, or as negotiated, for any order cancelled by the Buyer.

SHIPMENTS

All shipments shall be made via Seating Inc.'s choice of carrier. The Buyer may specify a servicing carrier when requesting 3rd party billing. Seating Inc.'s liability ends once the Buyer signs the Bill of Lading, or otherwise receives the shipment, thus acknowledging that the merchandise was received in satisfactory condition. It is the Buyer's sole responsibility to assume liability, risk, damage, or loss during 3rd party shipment or transshipment. Further, it is the Buyer's responsibility to report damage or loss of any shipment with the appropriate carrier.

SHIP DATES AND DELAYS

If Seating Inc. cannot ship products as scheduled due to causes beyond their reasonable control, (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary material or transportation; or changes requested by the customer) the ship date will be extended to compensate for the delay as determined by Seating Inc.

REDELIVERY OF FREIGHT

When redelivery of merchandise is required because the customer is not ready to accept the merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and rehandling will be billed to the customer.

RETURNS

Seating Inc. products are made-to-order and may not be returned without written approval from Seating Inc. Management. Seating Inc. reserves the right to refuse return of merchandise. All approved returns must be returned prepaid by the Buyer and are subject to a Restocking Charge of no greater than 30%. Merchandise must be returned unused, in original shipping carton with proper inner packaging.

CHANGES

Seating Inc. reserves the right to institute changes to material, parts, or design as well as to discontinue models, options, and/or parts without any prior notice.

DESIGN

In keeping with modern manufacturing advances, Seating Inc. reserves the right to make changes in product offering, design and materials as well as the discontinuance of parts and units when such action is deemed to be an improvement in design or function.

SPECIAL PRODUCTS

Modifications to standard products will be considered for large quantity orders. SC - Semi Custom. Contact the factory for price quotations.

TEXTILES DISCLAIMER




Seating Inc. will not be held responsible, or liable in any way, for any color variances between rolls of material due to dye lots within a shipment.

All inquiries and correspondence should be directed to:

SEATING INC.
PO Box 898
Nunda, NY 14517
Phone: 800.468.2475
Fax: 585.468.2804
sales@seatinginc.com



TABLE OF CONTENTS

DESCRIPTION	PAGE
HOW TO SELECT AND ORDER A SEATING INC. CHAIR	1-2
MECHANISMS - FEATURES & SPECIFICATIONS	3-4
ARM CHOICES - SPECIFICATIONS & UPGRADES	5
OPTIONS AND UPGRADES	6
QUALITY AND COMFORT	7-8
SHIPPING PROGRAM	9
PACKAGING AND FREIGHT CLAIMS	10
WARRANTY INFORMATION	11-12
CHAIRS	
 300 Advent	15-20
Contour II	21-22
EDU ² - mesh back	23-24
EDU ² - upholstered back	25-32
Fit	33-34
Grid	35-42
Health	43-44
Indy	45-48
Jay	49-50
Jay Nest-it	52
K	53-54
Monterey II	55-60
Pearl II	61-64
Saddle	65-66
Tradition	67-69
Voyager	71
Zon	72
 400 Grid	75-78
Monterey II	79-82
Pearl II	83-86
 550 Monterey II	89-90
Pearl II	91-92
ADDITIONAL INFORMATION	
COM & UC PROCEDURE	94
BIFMA level® CERTIFIED CHAIRS	95
CODES AND TESTING	96
PAST PERFORMERS	97-100
PNEUMATIC CYLINDER SPECIFICATIONS	101
INDEX	102

SIMPLE STEPS HELP YOU CHOOSE

HOW TO SELECT AND ORDER A SEATING INC. CHAIR

Whether you are choosing a chair for one individual or outfitting an entire workplace, you can count on Seating Inc. to supply quality ergonomic chairs that will last for years.

Follow the steps below to custom configure chairs that fit every task - and every body.

SIMPLE STEPS

STEP 1 - DETERMINE A CATEGORY

Consider the size of the people who will be seated and the work environment. Seating Inc. chairs are organized into three categories.



300 Everyday

for single users up to 8 hours per day, 300 lb weight capacity.

400 Intensive Use

for multiple users, intensive and/or heavy duty applications, 400 lb weight capacity

550 Generous Fit

for single or multi shift use, 550 lb weight capacity (not suitable for smaller users)

STEP 2 - CHOOSE A SERIES

Each chair series has a distinctive “look” with comfort and construction features common to all styles and models. Series are arranged in alphabetical order within each category and may appear in one, two, or all three category sections. Choose from the following:

Sensible Solutions:	Advent and EDU ²
Functional Solutions:	Contour II
Complete Solutions:	Monterey II and Pearl II
Mesh Solutions:	Grid, Jay, and EDU ²
Executive Solutions:	Fit, K, Saddle, and Tradition
Specialty Solutions:	Indy and Health
Nesting Solutions:	Jay Nesting

STEP 3 - PICK A STYLE AND MODEL

From **Advent** to **Tradition**, our chair series have coordinating swivel, task, stool, sled, and multipurpose stackable styles. Consider the type of work that the user is performing and his or her level of authority. Choose high, medium, or small backs.

STEP 4 - SELECT A MECHANISM

Mechanisms determine what a chair can “do” - from simple swivel to advanced synchro tilt. Increased functionality adds ergonomic benefits - and increases the price of the chair. Consider the number of people who will use the chair, the amount of time they will be sitting, and the type of work being performed. Purchase the mechanism with functions that will work for your application...and make sure that each user knows how to take advantage of the benefits that you supply.

For detailed mechanism information, refer to the **Mechanism Features and Functions** Section of the price book on pages 3 - 4.

STEP 5 - ADD ARMS

All Seating Inc. chairs - except those with arms that are permanently attached to the frame - are priced without arms. Arm choices range from basic fixed height arms with urethane pads to fully upholstered executive style arms. Specialty arm options include width adjustment brackets and pads for extra comfort or durability. Appropriate arm choices are displayed on each product page.

STEP 6 - CONSIDER COMFORT, STYLE, AND SPECIALTY OPTIONS

Seating Inc. offers solutions for special needs. A ballistic nylon outer back protects chairs in cramped spaces. Upgraded foam increases comfort for users who are seated for long periods of time. A wide seat can accommodate holsters or utility belts. CAL 133 meets fire safety regulations. Multiple options and upgrades are available to satisfy individual requirements. Suitable options are displayed on each product page.

STEP 7 - PICK A TEXTILE GRADE, PATTERN AND COLOR

Seating Inc. offers a broad array of textiles to fit every application, decor and budget. Select fabric, vinyl, or leather/vinyl combinations from our carded program or choose graded-in product from one of our textile partners: Arc-com, Culp, CF Stinson, Momentum Textiles, Mayer Fabrics, or Ultrafabrics®. Commercial COM textiles may be supplied and are priced as Grade One.

To check out Seating Inc.'s fabric options, go to www.seatinginc.com, and look under the "materials" banner.

STEP 8 - PREPARE YOUR PURCHASE ORDER

Include quantity, model number, mechanism code, and fabric selection on your purchase order. Where applicable, indicate frame color, and mesh color.

Add arm and option codes as needed.

STEP 9 - PLACE YOUR ORDER

Place your order by fax, US mail, or email. Be sure to include your company name, address, phone number, fax number, PO number, Installing Dealer and SPIFF ID (where applicable) and any special instructions. Include a contact name and extension in case there are questions regarding your order. Be sure to include a shipping address if it is different than the bill to address.

PRODUCT CODES

Example of a product code:

(The following chair appears on page 25 - 26)

Category: 300 Everyday for data entry clerk, single shift

Series: Style and Model: Contour II Task Medium Back

Mechanism: Q25 Advanced knee tilt with quick set back

Arms: Adjustable height, T-style arm with width adjustment brackets

Textile: Grade 1 Icon - Black

Options & Upgrades: TLC Foam Seat and soft twin wheel casters for use on hard floors

Product Code: CO211 Q25 TC WAB TLCS STW Grade 1 Icon - Black

IMPORTANT: Before submitting your order, refer to "SHIPPING PROGRAM" on page 9 to determine if freight charges apply to your order.

Call 800.468.2475 for further advice or assistance. Our friendly, knowledgeable customer service staff will be happy to help you!

300 MECHANISMS

FEATURES & FUNCTIONS

CODE	CATEGORY	DESCRIPTION	300° swivel	Pneumatic Seat Height	Quick Set Back Height	Infinite Locking Back Angle	Tilt with Upright Tilt Lockout	Tilt Resistance	Multi Locking Tilt	Knee Tilt	Center Tilt	2:1 Synchro	Adjustable Forward Tilt	Manual Back Height	Travel Limiter	3.3:1 Synchro	Adjustable Seat Depth
300 MECHANISMS FOR SWIVEL CHAIRS																	
E20	Single shift, 300lbs.	Swivel/Seat Height	•	•													
E21	Single shift, 300lbs.	Swivel Tilt	•	•		•	•				•						
E27	Single shift, 300lbs.	Swivel Knee Tilt	•	•			•	•	•								
300 MECHANISMS FOR TASK CHAIRS																	
M20	Single shift, 300lbs.	Swivel/Seat Height	•	•													
M22	Single shift, 300lbs.	Manual Back Height	•	•	•								•				
Q22	Single shift, 300lbs.	Posture Back	•	•	•	•											
Q23	Single shift, 300lbs.	Center Tilt 2:1 Synchro	•	•	•		•	•			•	•					
Q24	Single shift, 300lbs.	Weight Activated 3.3:1 Synchro	•	•	•			•							•	•	•
Q25	Single shift, 300lbs.	Knee Tilt 2:1 Synchro	•	•	•			•	•	•	•						
Q28	Single shift, 300lbs.	Multi Function Center Tilt	•	•	•	•		•	•	•		•					
300 MECHANISMS FOR STOOLS																	
M20	Single shift, 300lbs.	Swivel/Seat Height	•	•													
M22	Single shift, 300lbs.	Manual Back Height	•	•	•								•				
Q22	Single shift, 300lbs.	Posture Back	•	•	•	•											

SPECIFICATIONS & BENEFITS

CODE	CATEGORY	DESCRIPTION	SPECIFICATIONS	BENEFITS
300 MECHANISMS - ALL MECHANISMS CAN BE ADJUSTED WHILE SEATED				
E20	Single shift, 300lbs.	Swivel/Seat Height	Rear Seat Pitch: 3.5° Fixed Height Back	Basic functions with simple controls. Economical, no nonsense and tamper proof.
E21	Single shift, 300lbs.	Swivel Tilt	Forward Seat Angle: 3.5° Rearward Seat Angle: 16°	Simple swivel tilt suitable for conference rooms.
E27	Single shift, 300lbs.	Swivel Knee Tilt	Total Tilt 17°, 0° start angle	Enhanced swivel with knee tilt. For executives and managers.
M20	Single shift, 300lbs.	Swivel/Seat Height	Rear Seat Pitch: 3.5° Fixed Height Back	Basic functions with simple controls Economical, no nonsense and tamper proof.
M22	Single shift, 300lbs.	Manual Back Height	Seat Angle: Static Back Angle: Forward 15°	Manual back height. Articulating back angle adjustment. For workstations with multiple users.
Q22	Single shift, 300lbs.	Posture Back <i>(Grid: Quick Set Lumbar Height)</i> <i>(Jay: Fixed Back Height)</i>	Seat Angle: Static Back Angle: Forward 15° Quick set back height: vertical travel = 2 5/8" with 7 locking positions.	Quick set back height. Articulating back angle adjustment. For workstations with multiple users.
Q23	Single shift, 300lbs.	Center Tilt 2:1 Synchro	Seat Angle: Forward 3.5° Back Angle: Rearward 21° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions.	Quick set back height. Trouble free synchronized support with upright lock.
Q24	Single shift, 300lbs.	Weight Activated 3.3:1 Synchro	Seat Travel: 6.1° Back Angle: Rearward 20° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions. Adjustable Seat Depth: horizontal travel = 2.5" travel; 1.25" forward, 1.25" rearward	Quick set back height. Synchronized, self weighing support system. 3 position travel limiter. 2 position tension. Adjustable seat depth. Imported
Q25	Single shift, 300lbs.	Knee Tilt 2:1 Synchro	Back Angle: Rearward 21° At-Rest Angle: 4° Seat Travel Range: 9° Tilt Lock: 5 incremental positions Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions.	Advanced knee tilt with multiple locking positions. Full range of movement with posture support.
Q28	Single shift, 300lbs.	Multi Function Center Tilt	Forward Seat Angle: 6.5° rearward Rearward Seat Angle: 20° Back Angle: Rearward 27° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions	Multiple back and seat adjustments. Infinite locking positions provide superior ergonomic support for long periods of use. Rotary forward seat angle adjustment.

**Specifications are subject to change without notice

400 - 550 MECHANISMS

FEATURES & FUNCTIONS

CODE	CATEGORY	DESCRIPTION	360° Swivel	Pneumatic Seat Height	Quick Set Back Height	Infinite Locking Back Angle	Tilt with Upright Tilt Lockout	Tilt Resistance	Multi Locking Tilt	Knee Tilt	Center Tilt	2:1 Synchro	Adjustable Forward Tilt
400 HEAVY DUTY MECHANISMS													
400 MECHANISMS FOR SWIVEL CHAIRS													
E31	Multiple Shift, 400lbs.	Swivel Tilt	•	•			•	•			•		
E37	Multiple Shift, 400lbs.	Swivel Knee Tilt	•	•				•	•	•			
400 MECHANISMS FOR TASK CHAIRS													
Q30	Multiple Shift, 400lbs.	Swivel/Seat Height	•	•	•								
Q32	Multiple Shift, 400lbs.	Posture Back	•	•	•	•							
Q35	Multiple Shift, 400lbs.	Knee Tilt 2:1 Synchro	•	•	•			•	•	•		•	
Q38	Multiple Shift, 400lbs.	Multi Function Center Tilt	•	•	•	•		•	•		•		•
400 MECHANISMS FOR STOOLS													
Q30	Multiple Shift, 400lbs.	Swivel/Seat Height	•	•	•								
Q32	Multiple Shift, 400lbs.	Posture Back	•	•	•	•					•		
550 SUPER DUTY MECHANISMS													
550 MECHANISMS FOR SWIVEL CHAIRS													
E51	Multiple Shift, 550lbs.	Multi Lock Swivel Tilt	•	•				•	•		•		
550 MECHANISMS FOR TASK/WORK CHAIRS													
Q51	Multiple Shift, 550lbs.	Multi Lock Swivel Tilt	•	•	•			•	•		•		

mechanisms

SPECIFICATIONS & BENEFITS

CODE	CATEGORY	DESCRIPTION	SPECIFICATIONS	BENEFITS
400 MECHANISMS - ALL MECHANISMS CAN BE ADJUSTED WHILE SEATED				
E31	Multiple shift, 400lbs.	Swivel Tilt	Forward Seat Angle: 3.5° rearward Rearward Seat Angle: 16°	Simple swivel tilt suitable for conference rooms.
E37	Multiple shift, 400lbs.	Swivel Knee Tilt	Total Tilt: 17°, 0° start angle	Enhanced swivel with knee tilt. For executives and managers.
Q30	Multiple shift, 400lbs.	Swivel/Seat Height	Quick set back height: vertical travel = 2 5/8" with 7 locking positions	Basic functions with simple controls. Economical, no nonsense and tamper proof.
Q32	Multiple shift, 400lbs.	Posture Back <i>(Grid: Quick Set Lumbar Height)</i> <i>(Jay: Fixed Back Height)</i>	Seat Angle: Static Back Angle: Forward 15° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions	Quick set back height. Articulating back angle adjustment. For workstations with multiple users.
Q35	Multiple shift, 400lbs.	Knee Tilt 2:1 Synchro	Back Angle: Rearward 21° At Rest Angle: 4° Seat Travel Range: 9° Tilt Lock: 5 incremental positions Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions	Advanced knee tilt with multiple locking positions. Full range of movement with posture support.
Q38	Multiple shift, 400lbs.	Multi Function Center Tilt	Forward Seat Angle: 6.5° rearward Rearward Seat Angle: 20° Back Angle: 27° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions	Multiple back and seat adjustments. Infinite locking positions provide superior ergonomic support for long periods of use. Rotary forward seat angle adjustment.
550 MECHANISMS - ALL MECHANISMS CAN BE ADJUSTED WHILE SEATED				
E51	Multiple shift, 550lbs.	Multi Lock Swivel Tilt	Forward Seat Angle: 3.5° forward Rearward Seat Angle: 20°	Super duty for users up to 550lbs. Double back bar. Meets GSA Intensive Use Test.
Q51	Multiple shift, 550lbs.	Multi Lock Swivel Tilt	Forward Seat Angle: 3.5° forward Rearward Seat Angle: 20° Back Angle: 27° Quick Set Back Height: vertical travel = 2 5/8" with 7 locking positions*	Super duty for users up to 550lbs. Double back bar. Quick Set Back Height. Meets GSA Intensive Use Test.

*Specifications are subject to change without notice

ARM CHOICES

SPECIFICATIONS & UPGRADES

Many Seating Inc. chairs are priced without arms. Arms may be added to provide ergonomic arm support and comfort.

FIXED HEIGHT ARMS



BPA - \$118

C-style, black, polyurethane arm. Not available on (MS) Mesh Seat.

(H x L x W)
11.25" x 14.75" x 2"



PAA - \$202

C-style, polished aluminum with black no-slip pad. Fixed height and width. Not available on (MS) Mesh Seat.

(H x L x W)
12" x 10.50" x 2"



TH - \$180 (550 Chairs)

T-style, super duty arm, gel comfort pad

(H x L x W)
8" x 10" x 4"

ADJUSTABLE HEIGHT ARMS



T4 - \$135

T-style arm, angled, 4-way adjustable with urethane pad

Button activated, 3" height range, 1 1/2" width range

(H x L x W)
10.25" x 10" x 3"



T5 - \$203

T-style arm, angled, 5-way adjustable with urethane pad

Button activated, 3" height range, 1 1/2" width range

(H x L x W)
9" x 10.5" x 4.25"



TC - \$119

T-style arm, urethane pad, height adjustable

Button activated, 3 1/4" height range

(H x L x W)
9.5" x 10" x 4"

Fits WAB
Field Installable



TL - \$140

T-style arm with urethane pad, for lower arm heights, height adjustable

Button activated, 3" height range

(H x L x W)
9.5" x 9.5" x 2.75"

Fits WAB
Field Installable



TS - \$187





T-style arm with urethane pad and swing back (75°), height adjustable

Dial activated, 2 1/4" height range

(H x L x W)
9.5" x 9.5" x 2.75"

Fits WAB
Field Installable

UPHOLSTERED ARMS (add 1 yard com for 300 & 400 chairs, add 1.5 yards com for 550 chairs)

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 CUF	Fixed Height, Adjustable Width Dimensions: 12.5" H x 18.5" L x 2.75" W	192	219	245	255	277	305	333	366	389	417
 CUA	Adjustable Height & Adjustable Width Dimensions: 12.5" H x 18.5" L x 2.75" W	236	263	289	298	320	348	376	410	433	461
 TUF	Fixed Height, Adjustable Width Dimensions: 11" H x 18" L x 4" W	192	219	245	255	277	305	333	366	389	417
 TUA	Adjustable Height & Adjustable Width Dimensions: 11" H x 18" L x 4" W	236	263	289	298	320	348	376	410	433	461

CODE	ARM UPGRADE DESCRIPTION	LIST
WAB	Width Adjustment Brackets - Allows each arm to adjust 2" horizontally. (standard on CUA, CUF, TUA, TUF, T4, & T5 arms, not available on BPA, PAA, TH arms)	\$23
G	Gel Pad Upgrade - Premium comfort and support with increased durability. TC, TL, TS arms only. (not available on T4 or T5 arms; standard on TE & TH arms)	\$64
CNP	Cordura® Nylon Arm Pad - Virtually indestructible arm pad that resists abrasions. (not available on T4 & T5 arms)	\$90

OPTIONS & UPGRADES

CODE	DESCRIPTION	LIST PRICE
BACK		
BAA	Back Angle Adjustment - Allows user to change the back angle on the Q25 & Q35 synchro mechanisms	\$56
BN	Black Ballistic Nylon - Upholstered outer back protects against wear in intensive use environments	N/C
HRA	2-way Adjustable Headrest - Vertical range of 2 3/8" and horizontal range of 2", adds 12" to back height	\$270
HRF	Fixed Head Rest - Provides neck support for recline positions, adds 12" to back height	\$79
SBS	Schukra® Back Saver - Mechanical adjustable lumbar support. Not available on Contour II, Grid, or Jay	\$79
TLCB	Energy Absorbing TLC Memory Foam Back - 5.2lb. high density foam replaces standard back foam	\$84
VBE	Vinyl Back Edge - Clear vinyl edging protects back upholstery from impact damage	\$28
SEAT		
ASD	Adjustable Seat Depth - 2.5" travel; 1.25" forward, 1.25" rearward. Task & Stool only. Not available with TSD option	\$79
MS	Mesh Seat (19.5") - Replaces standard upholstered seat. Not available with E27 Mechanism or (SE) and (WS) options.	\$58
SEF	High Density Foam Seat - 3.2lb Molded foam seat replaces standard foam seat	\$56
TLCM	Energy Absorbing TLC Memory Foam Seat - 5.2lb TLC memory foam seat replaces standard seat	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat - 5.2lb TLC memory foam seat replaces standard seat	\$84
WS	Wide Seat - changes existing task seat width to 24" wide seat	\$112
XW	Extra Wide - changes 550 task seat width to 26"	\$112
BASES/CASTERS		
CAB	5 Leg Cast Aluminum Base - Black finish	\$58
CAC	5 Leg Cast Aluminum Base - Chrome finish	\$58
FCB	Fixed Column Jury Base - 18" round base. Includes black molded cover to conceal mounting hardware	\$135
PAB	5 Leg Cast Aluminum Spider Base	\$57
BSB	5 Leg Black Composite Spider Base	\$17
PAT	Polished Aluminum Trumpet Base	\$117
TTC	Trumpet base with teardrop foot rest and pneumatic cylinder, all with matching chrome finish. (Range 22"-32")	\$136
GLIDES	2 1/2" Carpet/Hard Floor Glides	N/C
STW	Soft, twin wheel casters - for use on hard floors	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases	\$45
WB	26" Traditional Wood Base - 2" bronze finished, hooded ball casters. Black, Empire Mahogany, Fonthill Pear Montana Walnut, Wild Cherry, Cafelle, Designer White, or Kensington Maple finish	\$248
CHAIR HEIGHT (see page 191 for cylinder height specifications)		
CYLS	Short Cylinder - 15.75" - 18.50" cylinder height	N/C
CYLT	Tall Cylinder - 19.00" - 23.25" cylinder height	N/C
MID	Mid Height Cylinder - 21.00" - 28.25" cylinder height for STOOLS	N/C
FULL	Full Height Cylinder - 24.75" - 34.75" cylinder height for STOOLS	N/C
AFR	Adjustable Foot Ring - Non slip, adjustable foot ring	\$79
SIZE		
SE	Small Edition - Available on 300 task & stools models only. Not available with (MS) Mesh Seat option Made specifically for smaller users. Seat width and seat depth are reduced by 1.5" Also creates a reduced cavity in the molded seat to fully support smaller users	N/C
TBH	Tall Back Height - Adds 5" to standard back height. Tall (CYLT) cylinder also available upon request (N/C)	\$90
TSD	Tall Seat Depth - For users over 6'5". Adds 2.5" to standard task and stool seat depth. Tall (CYLT) cylinder included for task models. Not available with ASD option. Add 1/2 yard COM	\$117
MULTIPURPOSE/GUEST		
DOLLY	Transport Dolly - for Multipurpose chairs	\$157
GC	Ganging Clamp - for Multipurpose and guest chairs	\$23
GG	Ganging Glide - for wire frame multipurpose chairs	\$23
SCC	Standard Carpet Casters - for multipurpose chairs	\$68
SPECIALTY		
CAL 133	Flame Guard - Chair made to conform to CAL 133 spec	\$59 per yard used
ESD	Electro Static Discharge - Static conductive upholstery - limited fabric and vinyl choices	Add \$315 to Grade One Price
SC	Semi-Custom - Moderate modifications to meet specifications	Call for pricing
WF	Changes Frame width to 24" on ES and MO guest chair models	\$200

QUALITY

GENERAL

Seating Inc. manufactures quality chairs that suit any task - and will fit every body. Our chairs are built to last, with a warranty to match, so we buy component parts from the industry's most reputable North American suppliers. Our experienced Western New York crew works hard to meet our customers' high expectations. Completed chairs are inspected and tested. We always do our best to ship your orders complete, correctly, and on time.

MECHANISMS

Mechanism quality is determined by more than just the sum of its functions. The gauge of steel, thickness of springs, size of the mounting plate, and thickness of the back bar stock, combine with functionality and adjustability to determine the cost and quality of the control. EST is North America's pre-eminent producer of chair components, manufacturing a vast array of models.

PNEUMATIC CYLINDERS

Pneumatic cylinders (or gas lifts) are available in many different "stroke lengths", "internal pressures", diameters, and inner wall thickness. We use Class 4 cylinders for all of our products - 400 Newton pressure rating for our *300 Everyday* Task & Swivel chairs, 500 Newton pressure rating for *400 Intensive Use* Task and Swivel chairs, *550 Generous Fit* Task & Swivel chairs, and all stools. "Stroke lengths" are chosen to match the base and mechanism ordered to ensure that our chairs meet ANSI standard seat heights. Cylinder height options are available for special needs. See page 189 for more information.

BASES & CASTERS

Bases should be a minimum of 23" in diameter and have 5 legs. Injection molded polyurethane bases should be reinforced with resin or glass for added strength. Casters should be hooded with two wheels for added stability. All of our parts meet or exceed these requirements. Carpet casters are standard on all chairs with wheels. Additional caster and base options are available. See product pages for details.

INNER WOOD

The quality of inner wood is determined by the grade, overall thickness, number of plies, and wood species. The country of origin is also important as moisture differences overseas can cause lumber to dry out and crack over time. We only use American veneers to produce both simple and compound curved wood component parts in our factory.

FOAM

Seating Inc. uses four types of foam - open cell, layered "soft seat", closed cell molded, and TLC energy-absorbing memory foam. Foam density is the primary property that determines foam quality. Softness is simply a personal preference. Open cell and layered "soft seat" foam is the least expensive foam, with density properties in the 1.2 to 2.9 range. Mid priced closed cell molded foam has a density range of 3.2 to 3.8lbs. Premium TLC energy-absorbing memory foam has a density of 5.2lbs. Other properties that impact quality and comfort are: thickness and compression reset, or loss of thickness over time. We use high quality foam that resists "bottoming out". Seating Inc. foams meet the CAL117 fire standard.

ARMS & ARM PADS

Consideration should be given to more than the style and movement of an arm treatment. The gauge of steel, thickness of bar stock, and secure fastening are all important aspects. Arm pads should support without reverse compression to your forearm and still be durable enough to resist scratches. We offer arms as options to all of our ergonomic task seating choices and choices of arm pads for almost all of our models. All arms are easily adjusted from a seated position.

TEXTILES

The quality of a textile is more than just the number of "double rubs" achieved in a Wyzenbeek test. Fiber content, colorfastness, "backing", weight, and mill warranties should also be given considerable thought. We are proud to offer **American made textiles manufactured by Absecon Mills** along with a full line of graded in upholstery products available through leading distributors Arc-com, Culp, CF Stinson, Designtex, Mayer Fabrics, Momentum Textiles, and Ultrafabrics®.

PACKAGING

We make sure that our chairs leave the factory in excellent condition, and pack them to arrive in great shape. We use high quality, 350lb. cardboard boxes with stapled corners and "hand hold cutouts" for easy lifting. All boxed chairs are packaged using cardboard "cross inserts" to prevent side impact shock, and foam fill to minimize impact shock to chair.

CONCLUSION





Seating Inc. builds chairs that last, and backs them with an unparalleled warranty. We use high quality North American made component parts, balance quality with cost, and construct every chair with great care. Your Seating Inc. products will provide you with great value and years of trouble-free service and comfort.

COMFORT

GENERAL

Upholstered foam cushions are the layer of comfort that shield a seated person from the hard wood that provides structure for their chair. Seating Inc. uses four types of high quality foam cushioning that meet the CAL 117 fire code requirement - open cell, layered "soft seat", closed cell molded foam, and TLC energy absorbing memory foam. Differences in the composition and shape of foam cushions affect comfort, longevity, and price. Density - the amount of foam that exists in a cushion - is the primary property that determines performance. Softness is a matter of personal preference. Shape adds ergonomic benefits. A high compression reset and/or thickness resists "bottoming out".

FOAM COMPARISON CHART

	Open Cell Foam	Layered Soft Seat	Closed Cell Molded Foam	TLC Energy Absorbing Foam
				
How It's Made	A liquid foam formula is poured into giant pans and allowed to rise. The enormous "buns" that result are sliced and cut to size, then shaped in stacks on a bandsaw	A selection of foams of various firmness and density are combined for a maximum support and durability, topped off with a soft layer of fiber	Liquid foam and pressure are used to produce contoured shapes from molds	Advanced foam formula with exceptional static rebound properties combines with molded process to produce superior resilience and support
Surface & Density	Open Cell Density range: 1.2 - 2.9 pcf (pounds per cubic foot)	Dacron Cover Density range: 1.2 - 2.9 pcf (pounds per cubic foot)	Closed cell surface defends against exterior contaminants that harbor bacteria and promote breakdown Density range: 3.2-3.8 pcf (pounds per cubic foot)	Sealed exterior provides a shield against contaminants that harbor bacteria and promote breakdown. Density: 5.2 pcf (pounds per cubic foot)
Comfort & Durability	Less foam, more air in poured process. Higher density formulas add longevity but open cell foam breaks down more quickly than molded foam.	Combination of layers provides long lasting support and softness.	Increased density achieved with pressure molded process adds long lasting comfort.	Highest density, energy absorbing formula alleviates pressure and provides tremendous support. New TLC foam is quite firm and will soften with use.
Appearance	Simple shapes and wrap upholstery. Added thickness prevents "bottoming out".	Sewn cover relaxes pressure for softer "sit".	Tailored upholstery accommodates sleek, molded shapes.	Tailored upholstery accommodates sleek, molded shapes.
Added Benefits	Least expensive	Cost effective comfort	Molding process lends itself to ergonomic shaping.	Anti-Microbial. Energy absorbing properties relieve pressure. "Memory" property rebounds the same after a lifetime of use.

quality & comfort

COMFORT CODES

The following list shows the cushioning that is supplied as "standard" for each model. See each product page for cushioning upgrade options.

CODE	DESCRIPTION	CODE	DESCRIPTION
A	Open Cell Foam Seat, Open Cell Foam Back	I	Closed Cell Molded Foam Seat, Closed Cell Molded Foam Back
B	Open Cell Foam Seat, No Back	J	Closed Cell Molded Foam Seat, Mesh Back
C	Open Cell Foam Seat, Mesh Back	K	TLC Energy Absorbing Memory Foam Seat, Open Cell Foam Back
D	Layered "Soft Seat", Open Cell Foam Back	M	TLC Energy Absorbing Memory Foam Seat, Closed Cell Molded Foam Back
E	Layered "Soft Seat", Layered Foam Back	N	TLC Energy Absorbing Memory Foam Seat, Mesh Back
F	Layered "Soft Seat", Mesh Back	O	All Polyurethane
G	Closed Cell Molded Foam Seat, No Back	P	Molded Plastic Seat and Back (upholstered seat & back pads available)
H	Closed Cell Molded Foam Seat, Open Cell Foam Back		

SWIVEL CHAIRS	COMFORT CODE	TASK & STOOLS	COMFORT CODE	MULTIPURPOSE (STACKABLE)	COMFORT CODE	SLED BASE/ GUEST	COMFORT CODE
EDU ² 300	A	Advent 300	A	Advent 300	A	Advent 300	A
Fit 300	A	Contour II 300	D	EDU ² 300	A	EDU ² 300	A
Grid 300	C	Contour II 400	K	Health 550	A	Grid 300	C
Jay 300	F	EDU ² 300	A	Jay 300	C	Jay 300	C
K 300	A	Grid 300	J	Monterey II 300	A	Indy 300	P
Monterey II 300	H	Grid 400	N	Monterey II 400	A	Monterey II 300	A
Monterey II 400	K	Health 300 Stool	B	Pearl II 300	A	Monterey II 400	A
Pearl II 300	I	Health 300 Sit/Stand G	G	Pearl II 400	A	Pearl II 300	A
Pearl II 400	I	Indy 300	O			Pearl II 400	A
Saddle 300	E	Jay 300	F			Saddle 300	A
Saddle 400	E	Monterey II 300	H			Tradition 300	A
Tradition 300	E	Monterey II 400	M				
Tradition 400	E	Monterey II 550	M				
Tradition 550	E	Pearl II 300	I				
		Pearl II 400	M				
		Pearl II 550	K				
		Saddle 300	E				
		Saddle 400	E				
		Tradition 300	E				
		Tradition 400	E				

SHIPPING PROGRAM


The list prices shown in this price book are shipped free of charge when the appropriate qualifications are met as outlined below. Only shipments to loading docks or approved drop off locations are eligible for the free shipping program. Special shipping circumstances will carry additional charges. These include, but are not limited to, **inside delivery, residential delivery, request for delivery appointment, overnight, 2-day and 3-day deliveries, and incorrect shipping address**. Seating Inc. reserves the right to ship via its carrier of choice and to modify its Free Shipping Program for specific accounts for any reason (i.e. credit delinquency, undeliverable address for Seating Inc.'s choice of carrier, discount programs, etc...) The zone used to determine the free shipping qualifications is based upon the ship-to destination, not upon the originating location of the order. Orders shipped to multiple locations may not be combined to qualify for free shipping.

QUALIFICATIONS FOR FREE SHIPPING

Look in the appropriate Zone table for the qualifications for free freight on your order. If you meet, or exceed the minimum qualified number of chairs as stated below, then your order will be shipped freight free.

ADDITIONAL CHARGES

Additional services will incur additional charges - these include, but are not limited to: driver assist, stop offs, truck ordered but not used (cancelling or changing shipment), reconsignment, driver layover, weekend deliveries, disposal of dunnage such as cardboard. Please contact Seating Inc. for an quote if you require these services.



ZONE 1

- All orders of 11 chairs or more are shipped freight free.
- 300 & 400 Series:** A \$12.50 per chair charge for orders of 10 chairs or less will be added to the invoice.
- 550 Series:** A \$40 per chair charge for orders of 10 chairs or less will be added to the invoice.

Connecticut	New Jersey
Delaware	New York
Indiana	Ohio
Maine	Pennsylvania
Maryland	Rhode Island
Massachusetts	Vermont
Michigan	Washington, DC
New Hampshire	

ZONE 2

- All orders of 16 chairs or more are shipped freight free.
- 300 & 400 Series:** A \$15 per chair charge for orders of 15 chairs or less will be added to the invoice.
- 550 Series:** A \$55 per chair charge for orders of 15 chairs or less will be added to the invoice.

Alabama	Missouri
Arkansas	North Carolina
Florida	South Carolina
Georgia	Tennessee
Illinois	Virginia
Iowa	West Virginia
Kentucky	Wisconsin
Minnesota	

ZONE 3

- All orders of 21 chairs or more are shipped freight free.
- 300 & 400 Series:** A \$20 per chair charge for orders of 20 chairs or less will be added to the invoice.
- 550 Series:** A \$65 per chair charge for orders of 20 chairs or less will be added to the invoice.

Colorado	North Dakota
Kansas	Oklahoma
Louisiana	South Dakota
Mississippi	Texas
Nebraska	

ZONE 4

- All orders of 100 chairs or more are shipped freight free.
- 300 & 400 Series:** A \$25 per chair charge for orders of 99 chairs or less will be added to the invoice.
- 550 Series:** A \$70 per chair charge for orders of 99 chairs or less will be added to the invoice.

Arizona	Montana
California	Oregon
Idaho	Utah
Nevada	Washington
New Mexico	Wyoming

PACKAGING & FREIGHT CLAIMS

Every consideration is given to ensuring that our products are received by you, or your customer, in the same condition as when it leaves our factory. We know your order is not complete until this is accomplished. All of our products are either shipped via UPS/FedEx, common carrier, or private carrier. This is determined by the number of cartons required for shipping your order, and the destination location.

PRIVATE CARRIER AND COMMON CARRIER

Only orders that are big enough to fill at least a truckload are considered for private carrier shipments. For large quantity orders, we are happy to deliver cardboard wrapped, sometimes referred to as blanket wrapped, fully assembled orders. This is the most convenient way to receive chairs. Simply roll the chairs off the truck into your customer's space. Cardboard wrapping may not be suitable for all chair types and textiles. Call us directly to set up this service. Note: Customer is responsible for disposing of the cardboard.

LTL

Products packaged for LTL shipments may use combinations of private & UPS/FedEx packaging as we see fit. Orders that do not fill at least a truckload will be subject to shipment by LTL. Seating Inc. products that will be shipped using LTL are noted on each product page within this price book.

UPS/FEDEX

Seating Inc. products that can be shipped using UPS/FedEx are noted on each product page within this price book.

PACKAGING

We have worked diligently with carriers to ensure that our cartons, packaging, labeling, etc., not only meet their restrictions for size and weight, but more importantly, will arrive at its destination with the least likelihood of any damage.

All cartons have:

- 350lb double wall construction
- Cardboard "cross-inserts" to prevent side impact shock to the chair
- Access holes for easy lifting
- Stapled seam for extra strength
- Foam padding to prevent impact shock to the chair

FREIGHT CLAIMS

Even though we take every precaution to ensure your order arrives with no damage, we cannot control events that may take place in transit. It is the responsibility of the party receiving the shipment to inspect it for signs of damage before signing the bill of lading. Signing the bill of lading releases the carrier and Seating Inc. from any responsibility for damages occurring during transit.

Caution: after obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damages or shortages.

It is your responsibility to report any shortages or outward damages on the bill of lading. You protect yourself by refusing shipments showing damage or shortage until transportation carrier has noted on the delivery sheet the extent of damage or shortage.

In the event of "hidden damage" it is the responsibility of the party receiving the shipment to contact Seating Inc. immediately.

Damage to contents must be reported within 2 days from the date of delivery. If at all possible, please take pictures of the damage.

All merchandise should be retained in the original shipping container, in the same condition it was in when loss or damage was discovered

If you experience concealed damage:

1. Call Seating Inc. to report the damage immediately.
Then write an affidavit giving date damaged product was received and the damage incurred. If possible, take pictures of the damage.
2. Retain all merchandise in the original container.
3. Contact Seating Inc.'s shipping department (800.468.2475, production@seatinginc.com) to advise them of the damage situation and be prepared to provide detailed order and product information.
4. Send a copy of your affidavit to Seating Inc. and any pictures, if available. It will be the responsibility of Seating Inc. to file a cargo claim within prescribed time limits and to respond to any requests from the carrier for supporting documentation. The damaged product must be retained until the claim is resolved, or until the claimant is given disposition by the carrier.

IT'S THAT EASY

SIMPLE STEPS FOR WARRANTY/REPAIR SERVICE

We work hard every day to make sure that our products reach your workplace in perfect operating condition. We also know that the minute you take delivery, you are responsible for keeping them that way. That's why every chair we make carries the information you need to give us when service is required.

SIMPLE STEPS

STEP 1

Locate the Seating Inc. tag under the seat of the product.



STEP 2

Call 800.468.2475 to immediately reach a real person at our factory.

OR

go to www.seatinginc.com and download our Service Request Form. The form and any questions you may have can be emailed to: production@seatinginc.com

You can also print and fax the Service Request Form to: 585.468.2804

STEP 3

Give us the info printed on the tag and tell us how we can help ... it's that easy!



WARRANTY INFORMATION

Seating Inc. warrants to the original end user that this product will be free from defects in its material and workmanship, subject to limitations as expressed below. The company will repair or replace, at its option without charge to the original purchaser only, defective products or parts during the following warranty periods.

This warranty shall be effective for the applicable time period beginning from date of purchase as shown on your original receipt or other proof of purchase. This warranty is your sole remedy for product defects and excludes defects due to or arising in connection with products abuse or misuse, user modifications of, or attachments to the product, including application of your own upholstery materials and products or parts not used, maintained, or installed in accordance with the company's installation, maintenance, and/or applicable guidelines.

300 EVERYDAY

Coverage period: Lifetime (which is the entire time owned by the original end user)

Limitations: User weight not to exceed 300lbs.
Normal use of 8 Hour Workday with 5 day work week



400 INTENSIVE USE

Coverage period: 15 Years

Limitations: User weight not to exceed 400lbs.
Intensive Use of 24 Hour Workday with 7 day work week



550 GENEROUS FIT

Coverage period: 15 Years

Limitations: User weight not to exceed 550lbs.
Intensive Use of 24 Hour Workday with 7 day work week



STANDARD CARDED TEXTILES

Coverage period: 3 years from date of purchase

Limitations: Normal use as determined by textile manufacturer's guidelines

10-YEAR TEXTILES(Including Mesh & Cordura® Nylon)

Coverage period: 10 years from date of purchase

Limitations: Normal use as determined by textile manufacturer's guidelines

ARM PADS

Urethane & Gel Pads
Coverage period: 5 years from date of purchase

Limitations: Normal use

Cordura® Nylon Pads
Coverage period: 10 years from date of purchase

Limitations: Normal use

DISCLAIMER:

Warranty covers Seating Inc.'s standard carded textiles. For graded in textiles, or COM textiles, please see supplier warranties.

warranty

WARRANTY SERVICE

If this product fails during normal use, as set forth in the limitations above, within the applicable coverage period, please send a description of the relevant part, together with proof of purchase of the product to:

Seating Inc.
PO Box 898
Nunda, NY 14517
Fax: 585.468.2804 | Email: production@seatinginc.com


We will repair, or at our option, replace, the defective part, free of charge to the purchaser, provided only that the purchaser returns said part to Seating Inc., freight or other shipping charges prepaid. Do not return any parts or product without prior written authorization from Seating Inc. The company reserves the right to inspect any part or product to determine the nature of the defect and it is the purchaser's responsibility to return the part or product to the manufacturer at his/her expense for warranty determination.

There are no other warranties, expressed or implied other than those specifically described, including without limitation any implied warranty or merchantability or of fitness for a particular purpose. We will not be responsible for incidental or consequential damages, and/or off-site labor charges. Our company will advise you of the procedure to follow when making warranty claims. Call Seating Inc. at 800.468.2475, or email production@seatinginc.com to explain the defect. Give your name, address, and phone number. Please be prepared with the model number, date of purchase and date of manufacture, found under the seat.



seating inc.

www.seatinginc.com • orders@seatinginc.com • 800.468.2475



seating
inc.



300 SERIES - EVERYDAY USE

MODEL	PAGE
Advent	15-20
Contour II	21-22
EDU ² - mesh	23-24
EDU ² - upholstered	25-31
Fit	33-34
Grid	35-42
Health	43-44
Indy	45-48
Jay	49-50
Jay Nesting	52
K	53-54
Monterey II	55-60
Pearl II	61-64
Saddle	65-66
Tradition	67-69
Voyager	71
Zon	72

advent task

SIN#: 711-18



pictured model

AD211 Q23 TA


features and benefits

- No nonsense seating with your choice of plastic or optional upholstered outer back (UOB)
- High density, 1.8lb open cell foam seat and 1.2lb open cell foam back.
- Standard with hard plastic outer back shell. 7 ply, simple curved seat with waterfall edge.
- Seamless upholstery.
- Matching stool, multipurpose, and guest models in 300 lb weight capacities.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)


high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 AD210 M20	Swivel/Seat Height	500	527	553	563	584	613	641	675	698	726
AD210 M22	Manual Back	547	573	599	608	631	659	688	721	744	772
AD210 Q22	Posture Back	591	617	644	652	675	703	731	764	787	815
AD210 Q24	Weight Activated	656	682	709	718	740	769	797	831	853	881
AD210 Q25	Knee Tilt 2:1	675	702	728	736	759	787	815	850	872	900
ADDITIONAL OPTION											
UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 AD211 M20	Swivel/Seat Height	467	491	515	522	543	568	593	624	644	669
AD211 M22	Manual Back	514	538	561	569	589	615	640	671	691	716
AD211 Q22	Posture Back	556	580	604	613	632	658	683	713	734	759
AD211 Q24	Weight Activated	623	646	670	678	699	724	749	779	800	825
AD211 Q25	Knee Tilt 2:1	641	665	688	697	717	743	768	798	818	843
ADDITIONAL OPTION											
UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168

small back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 AD212 M20	Swivel/Seat Height	444	468	492	500	520	546	571	601	622	647
AD212 M22	Manual Back	490	515	539	546	567	592	617	648	668	694
AD212 Q22	Posture Back	535	558	581	590	610	635	660	692	711	736

ADDITIONAL OPTION

UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168
-----	------------------------	----	----	----	----	----	----	-----	-----	-----	-----

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
AD210	High Back	W 24 D 24 H 41	SW 21 SD 19 SH 16.5-21	BW 19 BH 22	1.25 (add 1.00 UOB)
AD211	Medium Back	W 24 D 24 H 39	SW 21 SD 19 SH 16.5-21	BW 17 BH 19	1.25 (add 0.75 UOB)
AD212	Small Back	W 23 D 23 H 36	SW 19.5 SD 18 SH 16.5-21	BW 16.5 BH 15.5	1.25 (add 0.75 UOB)

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward only on the Q25 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – For UOB Only – Upholstered outer back protects against wear in intensive use environments.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage. Only available with UOB.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides. - Must specify	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. NO ASD. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

advent stool

SIN#: 711-18



pictured model

AD221 M20 TA

features and benefits

- No nonsense seating with your choice of plastic or optional upholstered outer back (UOB).
- High density, 1.8lb open cell foam seat and 1.2lb open cell foam back.
- Standard with hard plastic outer back shell. 7 ply, simple curved seat with waterfall edge.
- Seamless upholstery.
- Matching task, multipurpose, and guest models in 300 lb weight capacities.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	AD221 M20	Swivel/Seat	579	603	627	635	655	680	706	736	756	782
	AD221 Q22	Posture Back	669	693	717	725	745	771	796	826	847	872

ADDITIONAL OPTION

UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168
-----	------------------------	----	----	----	----	----	----	-----	-----	-----	-----

small back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	AD222 M20	Swivel/Seat Height	556	580	604	613	632	658	683	713	734	759
	AD222 Q22	Posture Back	647	671	695	702	723	748	774	804	824	850

ADDITIONAL OPTION

UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168
-----	------------------------	----	----	----	----	----	----	-----	-----	-----	-----

For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Full height cylinder (Range: 24.75"-34.75"). Available mid height cylinder (Range: 21"-28.25") must be specified.

5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
AD221	Medium Back	W 24 D 24 H 46	SW 21 SD 19 SH 24.75-34.75	BW 17 BH 19	1.25 (add 0.75 UOB)
AD222	Small Back	W 23 D 23 H 43	SW 19.5 SD 18 SH 24.75-34.75	BW 16.5 BH 15.5	1.25 (add 0.75 UOB)

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – For UOB Only – Upholstered outer back protects against wear in intensive use environments.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage. Only available with UOB.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
MID	Mid Height Cylinder – 21.00” - 28.25” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

advent

multipurpose

SIN#: 711-19

pictured model
AD244 SCC



features and benefits

- No nonsense seating with your choice of plastic or optional upholstered outer back (UOB).
- High density, 1.8lb open cell foam seat and 1.2lb open cell foam back. Seamless upholstery.
- Standard with hard plastic outer back shell. 5 ply, simple curved seat with waterfall edge.
- Black powder coat finished, wall saver H-frame. Silver Metallic available. Stacks 5 high on Floor or Dolly.
- Matching task, stool, and guest models in 300 lb weight capacities.

pricing (Grade LV = Grade 10)

arm



Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
AD244	Stackable Arm	348	368	388	395	412	433	454	479	496	517

ADDITIONAL OPTION

UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168
-----	------------------------	----	----	----	----	----	----	-----	-----	-----	-----

armless



Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
AD243	Stackable Armless	309	329	349	356	372	394	415	440	457	478

ADDITIONAL OPTION

UOB	Upholstered Outer Back	11	20	29	54	71	90	109	133	149	168
-----	------------------------	----	----	----	----	----	----	-----	-----	-----	-----

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – For UOB Only – Upholstered outer back protects against wear in intensive use environments.	N/C
MULTIPURPOSE		
DOLLY	Transport Dolly - For Multipurpose Chairs. 23" x 22"	\$157
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SCC	Standard Carpet Casters – Standard Carpet Casters for 4-Leg Chairs.	\$68
STW	Soft Twin Wheel Casters – For use on hard floors. Only available when combined with SCC option	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11

For more information on Options & Upgrades, please see pages 5-6.

measurements


Model	Style	Overall	Seat	Back	COM Yardage
AD244	Multipurpose Arm	W 23 D 22 H 33	SW 18 SD 18.5 SH 18.5	BW 18 BH 15	1.00 (add 0.50 UOB)
AD243	Multipurpose Armless	W 19 D 22 H 33	SW 18 SD 18.5 SH 18.5	BW 18 BH 15	1.00 (add 0.50 UOB)

All measurements are approximate and can change depending on the configuration chosen.



seating inc.

www.seatinginc.com • orders@seatinginc.com • 800.468.2475



seating
inc.

contour II task

SIN#: 711-18



pictured model

CO210 Q25 TAC PAB TLCS


features and benefits

- Trouble free workhorse with curved back provides snug back support all day long.
- 2.9lb, 3 layered "Soft Seat" foam and 1.2lb open cell foam back. Choose TLCS seat option for firm comfort.
- 10 ply complex curved back provides natural, ergonomic support. 7 ply waterfall seat relieves leg pressure.
- Sculptured back and seat cushions. Seamless upholstery.
- Matching swivel and stool for 300 lb weight capacity. Matching task and stool for 400 lb weight capacity.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	CO210 M20	Swivel/Seat Height	574	620	667	682	722	771	820	879	918	967
	CO210 Q22	Posture Back	664	710	756	772	811	860	910	968	1008	1058
	CO210 Q24	Weight Activated	729	776	822	837	877	927	976	1035	1074	1123
	CO210 Q25	Knee Tilt 2:1	748	795	840	856	895	944	994	1054	1092	1142

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	CO211 M20	Swivel/Seat Height	540	579	619	632	667	708	851	802	835	878
	CO211 Q22	Posture Back	630	670	709	723	756	799	840	891	926	967
	CO211 Q24	Weight Activated	696	735	775	788	823	864	907	957	991	1033
	CO211 Q25	Knee Tilt 2:1	714	754	794	807	840	883	926	976	1010	1051

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
CO210	High Back	W 24 D 25 H 40	SW 21 SD 19 SH 16.5-21	BW 19 BH 24	2.00
CO211	Medium Back	W 24 D 25 H 37	SW 21 SD 19 SH 16.5-21	BW 19 BH 21	1.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12” to back height.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM.	\$112
BASES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”.	N/C
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. NO ASD. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

Contour II

edu² task mesh back

SIN#: 711-18

pictured model
EN211 Q23 TF TLCS




features and benefits

- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam. 7 ply waterfall seat relieves leg pressure. Add TLC seat option for superior comfort.
- Composite nylon back frame with built-in lumbar support. 2.25" range ratchet back height adjustment.
- Seamless upholstery. Mesh back available in 8 colors.**
- Matching swivel and stool models in 300 lb weight capacities.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium mesh back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	EN211 Q24 Weight Activated	684	721	751	764	770	781	789	815	832	853
	EN211 Q25 Knee Tilt 2:1	703	739	770	781	786	798	808	834	851	872

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
EN211	Medium Back	W 26.5 D 24.5 H 37	SW 20 SD 18 SH 16.5-21	BW 18 BH 22	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$56
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

edu2

edu² swivel upholstered back

SIN#: 711-18

pictured model
ES200 E21 BPA BSB

to 300




features and benefits

- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam seat and 1.2lb open cell foam back. Add TLC seat option for superior comfort.
- 10 ply, compound curved back with built in lumbar support. 7 ply waterfall seat relieves leg pressure.
- Seamless upholstery.
- Matching task, stool, guest, and multipurpose models in 300 lb weight capacities.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high upholstered back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	ES200 E21	Swivel Tilt	551	594	636	650	686	731	776	830	866	911
	ES200 E27	Swivel Knee Tilt	664	706	749	762	799	843	888	942	979	1023

medium upholstered back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	ES201 E21	Swivel Tilt	517	561	603	617	635	675	714	761	792	832
	ES201 E27	Swivel Knee Tilt	630	673	716	726	748	787	827	874	906	944

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall I	Seat	Back	COM Yardage
ES200	High Back	W 26 D 25.5 H 42.25	SW 20 SD 18 SH 16.5-21	BW 19.25 BH 23.75	1.80
ES201	Medium Back	W 25.5 D 25.5 H 37.25	SW 20 SD 18 SH 16.5-21	BW 19 BH 20.5	1.60

All measurements are approximate and can change depending on the configuration chosen.



arm choices



BPA - \$118

C-style, black, polyurethane. Fixed height and width.



PAA - \$202

C-style, polished aluminum with black no-slip pad. Fixed height and width.



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
WB	26” Traditional Wood Base – 2” bronze finished, hooded ball casters. See page 6 for wood finish choices.	\$248
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

edu2

edu² task upholstered back

SIN#: 711-18

pictured model

ES211 Q28 TC




features and benefits

- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam seat and 1.2lb open cell foam back. Add TLC seat option for superior comfort.
- 10 ply, compound curved back with built in lumbar support. 7 ply waterfall seat relieves leg pressure.
- Seamless upholstery.
- Matching swivel, stool, guest, and multipurpose models in 300 lb weight capacities.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high upholstered back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	ES210 Q22 Posture Back	635	678	721	734	771	815	860	914	951	995
	ES210 Q24 Weight Activated	701	744	786	800	836	881	927	980	1016	1061
	ES210 Q25 Knee Tilt 2:1	720	762	805	818	855	900	944	998	1035	1080

medium upholstered back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	ES211 M20 Swivel/Seat Height	445	484	522	538	572	614	656	707	740	783
	ES211 Q22 Posture Back	536	574	612	628	661	704	747	797	831	873
	ES211 Q24 Weight Activated	601	640	678	722	756	798	840	891	925	967
	ES211 Q25 Knee Tilt 2:1	620	658	696	757	791	833	876	927	960	1003

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
ES210	High Back	W 26 D 25.5 H 42.25	SW 20 SD 18 SH 16.5-21	BW 19.25 BH 23.75	1.80
ES211	Medium Back	W 24.5 D 25.5 H 37.25	SW 20 SD 18 SH 16.5-21	BW 19 BH 20.5	1.60

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$202

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward only on the Q25 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides. - Must Specify	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

edu?

edu² multipurpose

EN244/EN243 SIN#: 711-18
ES244/ES243 SIN#: 711-19

pictured model
Upholstered Back ES244



pictured model
Mesh Back EN244




features and benefits


- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam seat and 1.2lb open cell foam back. Add TLC seat option for superior comfort.
- 10 ply, compound curved back with built in lumbar support. 5 ply waterfall seat relieves leg pressure. Seamless upholstery.
- Black powder coat finished, H-frame construction standard. Silver Metallic available. Stacks 4 high on Floor or Dolly.
- Mesh back available in eight colors**
- Matching swivel, task, stool, and guest models in 300 lb weight capacities.

pricing (Grade LV = Grade 10)

arm - mesh back & upholstered back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	EN244	Stackable Mesh	410	431	452	465	485	510	537	566	587	612
	ES244	Stackable Upholstered	383	416	450	460	488	523	558	600	628	664

armless - mesh back & upholstered back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	EN243	Stackable Mesh	386	407	427	440	460	485	511	541	562	587
	ES243	Stackable Upholstered	348	383	416	426	454	489	524	567	595	630

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments. Upholstered back only.	N/C
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage. Upholstered back only.	\$28
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
MULTIPURPOSE		
DOLLY	Transport Dolly - For Multipurpose Chairs. 23" x 22"	\$157
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SCC	Standard Carpet Casters – Standard Carpet Casters for 4-Leg Chairs.	\$68
STW	Soft Twin Wheel Casters – For use on hard floors. Only available when combined with SCC option	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11
WF	Changes frame to 24" width (Not available on the EN models)	\$200

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
EN244	Mesh Back Arm	W 24.5 D 24.75 H 31.5	SW 19 SD 18 SH 18.5	BW 19 BH 14	0.75
EN243	Mesh Back Armless	W 20.5 D 24.5 H 32	SW 19 SD 18 SH 18.5	BW 19 BH 14	0.75
ES244	Upholstered Back Arm	W 24.5 D 24.75 H 31.5	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50
ES243	Upholstered Back Armless	W 20.5 D 24.5 H 32	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.

edu² guest

SIN#: 711-18

pictured model
ES234



features and benefits

- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam seat and 1.2lb open cell foam back. Add TLC seat option for superior comfort.
- 10 ply, compound curved back with built in lumbar support. 5 ply waterfall seat relieves leg pressure. Seamless upholstery.
- Black powder coat finished, H-frame construction standard. Silver Metallic available.
- Matching swivel, task, stool, and multipurpose models in 300 lb weight capacities.

pricing (Grade LV = Grade 10)

arm

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
ES234	Sled Base Upholstered	399	432	466	476	504	540	575	617	646	680

armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
ES233	Sled Base Upholstered	365	398	432	443	471	506	541	583	612	647

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments. Upholstered back only.	N/C
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage. Upholstered back only.	\$28
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
GUEST		
FBG	Felt Based Glides.	\$28
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11
WF	Changes frame to 24" width	\$200

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
ES234	Upholstered Back Arm	W 24.5 D 24.5 H 31	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50
ES233	Upholstered Back Armless	W 20.5 D 24.5 H 31	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50

All measurements are approximate and can change depending on the configuration chosen.

edu² guest 2-position

SIN#: 711-18

pictured model
ES236



features and benefits

- Sensible style for Every Day Use.
- High density, 2.6lb open cell foam seat and 1.2lb open cell foam back. Add TLC seat option for superior comfort.
- 10 ply, compound curved back with built in lumbar support. 5 ply waterfall seat relieves leg pressure. Seamless upholstery.
- Black powder coat finished 2-position frame standard. Silver Metallic available.
- Matching swivel, task, stool, and multipurpose models in 300 lb weight capacities.

pricing (Grade LV = Grade 10)

arm

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
ES236	Sled Base Upholstered	422	454	488	499	527	563	598	640	668	703

armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
ES235	Sled Base Upholstered	388	420	454	465	494	528	564	606	634	669

options & upgrades


Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments. Upholstered back only.	N/C
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage. Upholstered back only.	\$28
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
GUEST		
FBG	Felt Based Glides.	\$28
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
ES236	Upholstered Back Arm	W 24.5 D 24.5 H 31	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50
ES235	Upholstered Back Armless	W 20.5 D 24.5 H 31	SW 19 SD 18 SH 18.5	BW 19 BH 14	1.50

All measurements are approximate and can change depending on the configuration chosen.



seating
inc.

fit swivel

SIN#: 711-18



pictured model
FI200 E21 PAA PAB

features and benefits

- Sleek contemporary design is perfect for executive or conference seating.
- 2.9lb open cell foam seat and 1.2lb open cell foam back.
- Slim 13 ply, 2 piece American plywood substructure. Ample support with waterfall cushion.
- Soft internal back edge bumper guard to protect chair against contact with table or desk.
- Standard black composite spider base with 75mm dual wheel carpet casters. 300 lb. weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
FI200 E21	Swivel Tilt	794	865	907	949	1007	1078	1148	1233	1290	1361
FI200 E27	Swivel Knee Tilt	907	978	1021	1063	1120	1191	1261	1347	1403	1474



medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
FI201 E21	Swivel Tilt	760	824	862	900	951	1015	1079	1156	1206	1270
FI201 E27	Swivel Knee Tilt	874	937	975	1013	1065	1129	1192	1269	1320	1383



For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall I	Seat	Back	COM Yardage
FI200	High Back	W 25.5 D 27.5 H 45.5	SW 19.5 SD 18 SH 16.5-21.25	BW 19 BH 30.5	2.00
FI201	Medium Back	W 25.5 D 27.5 H 37.5	SW 19.5 SD 18 SH 16.5-21.25	BW 19 BH 23.5	1.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



BPA - \$113

C-style, black, polyurethane. Fixed height and width.



PAA - \$194

C-style, polished aluminum with black no-slip pad. Fixed height and width.



T4 - \$130

T-style, angled, with urethane pad. 4-way adjustable.

options & upgrades

Code	Description	List Price
BACK		
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLC	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
BASES/GLIDES/CASTERS		
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
WB	26" Traditional Wood Base – 2" bronze finished, hooded ball casters. See page 6 for wood finish choices.	\$248
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

ft

grid swivel square back

SIN#: 711-18

pictured model

GS200 E21 BPA BSB T LCM Headrest



features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments.
- High quality, 3.2lb closed cell molded foam. 7 ply waterfall seat relieves leg pressure. Tailored seat cushion.
- Composite nylon frame. Quick set 4" range height adjustable lumbar with independent horizontal lumbar adjustments.
- Available height adjustable pivoting headrest.
- Available mesh seat option (MS). Mesh seat available in Black only. Mesh back available in 8 colors.**
- Matching task and stool in 300 lb and 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
GS200 E21	Swivel Tilt	776	797	815	823	839	860	882	907	924	944
GS200 E27	Swivel Knee Tilt	888	909	928	935	952	972	994	1019	1036	1058



GS200 Model does not include a headrest. See additional option headrest below.

ADDITIONAL OPTIONS

GSHR	Grid Square Height Adjustable Pivoting Headrest	Add \$33									
GSHUB	Upholstered Back	67	93	119	129	151	179	207	241	263	291

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GS200	High Back	W 25 D 25 H 47	SW 20.5 SD 18.5 SH 16.5-21	BW 19 BH 24	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



BPA - \$118

PAA - \$203

T4 - \$135

C-style, black, polyurethane. Fixed height and width.

C-style, polished aluminum with black no-slip pad. Fixed height and width.

T-style, angled, with urethane pad. 4-way adjustable.

options & upgrades

Code	Description	List Price
SEAT		
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
MS	Mesh Seat (19.5”) – Replaces standard upholstered seat. Not available with E27 Mechanism or (SE) and (WS) options. Not available with (BPA) or (PAA) arm option.	\$58
WS	Wide Seat – Changes existing seat width to 24”. Not available with (MS) Mesh Seat option.	\$112
BASES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”. Not available with (MS) Mesh seat option.	N/C
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. NO ASD. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

grid square

grid task round back

SIN#: 711-18

pictured model

GR210 Q25 TF G ASD BAA TLCM



features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments.
- High quality, 3.2lb closed cell molded foam. 7 ply waterfall seat relieves leg pressure. Tailored seat cushion.
- Composite nylon frame with quick set 3.5" range height adjustable lumbar.
- Available mesh seat option (MS). Mesh seat available in Black only. Mesh back available in 8 colors.**
- Matching swivel, stool, and guest in 300 lb weight capacity. Matching task and stool in 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	GR211 Q22 Posture Back	787	807	827	834	851	872	892	918	935	956
	GR211 Q24 Weight Activated	853	873	892	900	916	937	959	984	1000	1021
	GR211 Q25 Knee Tilt 2:1	872	891	911	918	935	956	978	1003	1019	1040
ADDITIONAL OPTION											
GRHUB Upholstered Back		67	93	119	129	151	179	207	241	263	291
GRHR Grid Round Head Rest	Add \$33										

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GR211	Medium Back	W 25 D 25 H 39	SW 20.5 SD 18.5 SH 16.5-21	BW 19 BH 24	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.

T5 - \$202

T-style, angled, with urethane pad. 5-way adjustable.

TC - \$119

T-style with urethane pad. Height adjustable.

TL - \$135

T-style with urethane pad. For lower arm heights. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$54
GHR	2-way adjustable head rest (up and down, pivot) - formerly the GR210	\$40
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
MS	Mesh Seat (19.5”) – Replaces standard upholstered seat. Not available with (SE) Small Edition or (WS) Wide Seat option. Not available with (BPA) or (PAA) arm option.	\$58
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24”. Not available with (MS) Mesh Seat option.	\$112
BASES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”. Not available with (MS) Mesh seat option.	N/C
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

grid task square back

SIN#: 711-18

pictured model

GS211 Q25 TAC ASD CAC TLM



features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments.
- High quality, 3.2lb closed cell molded foam. 7 ply waterfall seat relieves leg pressure. Tailored seat cushion.
- Composite nylon frame. Quick set 4" range height adjustable lumbar with independent horizontal lumbar adjustments.
- Available mesh seat option (MS). Mesh seat available in Black only. Mesh back available in 8 colors.**
- Matching swivel and stool in 300 lb weight capacity. Matching task and stool in 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	GS211 Q22 Posture Back	787	807	827	834	851	872	892	918	935	956
	GS211 Q24 Weight Activated	853	873	892	900	916	937	959	984	1000	1021
	GS211 Q25 Knee Tilt 2:1	872	891	911	918	935	956	978	1003	1019	1040

ADDITIONAL OPTION

GSHUB	Upholstered Back	67	93	119	129	151	179	207	241	263	291
GSHR	Grid Square Head Rest	Add \$33									

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GS211	Medium Back	W 25 D 25 H 39	SW 20.5 SD 18.5 SH 16.5-21	BW 19 BH 24	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135	T5 - \$202	TC - \$119	TL - \$135
T-style, angled, with urethane pad. 4-way adjustable.	T-style, angled, with urethane pad. 5-way adjustable.	T-style with urethane pad. Height adjustable.	T-style with urethane pad. For lower arm heights. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$56
GHR	2-way adjustable head rest (up and down, pivot) - formerly the GR210	\$40
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
MS	Mesh Seat (19.5”) – Replaces standard upholstered seat. Not available with (SE) Small Edition or (WS) Wide Seat option. Not available with (BPA) or (PAA) arm option.	\$58
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24”. Not available with (MS) Mesh Seat option.	\$112
BASES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”. Not available with (MS) Mesh seat option.	N/C
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

grid square

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

grid stool square back

SIN#: 711-18

pictured model
GS221 Q22 TFLCM




features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments.
- High quality, 3.2lb closed cell molded foam. 7 ply waterfall seat relieves leg pressure. Tailored seat cushion.
- Composite nylon frame. Quick set 4" range height adjustable lumbar with independent horizontal lumbar adjustments.
- Available mesh seat option (MS). Mesh seat available in Black only. Mesh back available in 8 colors.**
- Matching swivel and task in 300 lb weight capacity. Matching task and stool in 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 GS221 Q22	Posture Back	900	919	939	946	963	984	1006	1031	1047	1068

ADDITIONAL OPTION

GSHUB	Upholstered Back	67	93	119	129	151	179	207	241	263	291
-------	------------------	----	----	-----	-----	-----	-----	-----	-----	-----	-----

For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Full height cylinder (Range: 24.75"-34.75"). Available mid height cylinder (Range: 21"-28.25") must be specified.

5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GS221	Medium Back	W 25 D 25 H 46	SW 20.5 SD 18.5 SH 24.75-34.75	BW 19 BH 24	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.



TL - \$135

T-style with urethane pad. For lower arm heights. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
MS	Mesh Seat (19.5”) – Replaces standard upholstered seat. Not available with (SE) Small Edition or (WS) Wide Seat option. Not available with (BPA) or (PAA) arm option.	\$58
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24”. Not available with (MS) Mesh Seat option.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
MID	Mid Height Cylinder – 21.00” - 28.25” cylinder height for STOOLS.	N/C
SIZE		
SE	Small Edition – Made specifically for smaller users. Seat width and seat depth are reduced by 1.5”. Not available with (MS) Mesh seat option.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

grid square

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

health medical stool

SIN#: 711-18



pictured model
HE06

features and benefits

- Adjustable height, 360° swivel specialty stool for health care applications.
- High density, 3.5" thick, 2.6lb open cell foam, 16" round seat.
- 7 ply, plywood seat substructure. Five legged composite base with casters.
- Tailored seat cushion. Standard seat height range (17.5-22.5)
- 300 lb weight capacity.

pricing (Grade LV = Grade 10)



HE06	Basic Swivel	478	492	504	509	520	535	548	565	576	591
------	--------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

options & upgrades

Code	Description	List Price
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$56
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$56
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
**HEIGHT		
FDK	Full Height Drafting Kit: Includes full height cylinder (Range: 24.75" - 34.75") and Adjustable Foot Ring.	\$112
MDK	Mid Height Drafting Kit: Includes mid height cylinder (Range: 21.00" - 28.25") and Adjustable Foot Ring.	\$112
SPECIALTY		
AFR	Adjustable Foot Ring – Non slip, adjustable height foot ring with easy adjustment.	\$79

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	COM Yardage
HE06	Medical Stool	W 24 D 24 H 24.5	SW 17 SD 17 SH 17.5-22.5	1.00

All measurements are approximate and can change depending on the configuration chosen.

health medical leg rest

SIN#: 711-18

pictured model
HE08



features and benefits

- Adjustable height, 360° swivel specialty stool for health care applications. 5° rearward angle, 25° forward angle
- 1.2lb open cell foam rest.
- 7 ply, plywood substructure. Five legged composite base with casters.
- Seamless upholstery. Antimicrobial fabrics and vinyls are available.
- 300 lb weight capacity.

pricing (Grade LV = Grade 10)

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
HE08	Basic Swivel	447	461	475	480	491	505	521	538	550	564



options & upgrades

Code	Description	List Price
BASES/GLIDES/CASTERS		
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	COM Yardage
HE08	Medical Foot Rest	W 12 D 15 H 22.75	SW 22 SD 12 SH 16-20.75	1.00

All measurements are approximate and can change depending on the configuration chosen.

indy task

SIN#: 711-18



pictured model
IN212 M20 TL


features and benefits

- Durable black injection molded polyurethane seat and back. Manual back height adjustment and pivoting back.
- Molded ventilation ribs increase air circulation.
- Ergonomically shaped seat with waterfall edge.
- Waterproof.
- Matching multipurpose for 300 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height.

small back

	Model	Description	List
	IN212 M20	Swivel/Seat Height	584
	IN212 M22	Manual Back Height	630

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back
IN212	Small Back	W 25 D 25 H 33	SW 18 SD 17.5 SH 16.5-21	W 17 H 12.5

All measurements are approximate and can change depending on the configuration chosen.



IN212 arm choices



BPA - \$118

C-style, black, polyurethane. Fixed height and width.

TL - \$135

T-style with urethane pad. For lower arm heights. Height adjustable.

arm upgrades

Code	Description	List Price
G	Gel Pad Upgrade – (available on all T-Style arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad.	\$90

options & upgrades

Code	Description	List Price
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHAIR HEIGHT		
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

indy

indy

multipurpose sled base

SIN#: 711-19

pictured model
IN233B SP BP GG




features and benefits

- Durable black injection molded plastic seat and back.
- Ergonomically shaped seat with waterfall edge. Upholstered seat and back pads are available.
- Black powder coat finished wall saver sled base. 5/16" solid steel wire frame. Chrome frame available.
- Stacks 10 high on Floor or 20 High on Dolly.
- Matching task and multipurpose for 300 lb weight capacity.

pricing (Grade LV = Grade 10)

armless

	Model	Description	List
	IN233B	Stackable Black Frame	180
	IN233C	Stackable Chrome Frame	180

pad options

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
SP	Upholstered Seat Pad	33	47	60	64	76	90	104	121	132	147
BP	Upholstered Back Pad	29	43	56	60	72	85	100	116	128	141

options & upgrades

Code	Description	List Price
SPECIALTY		
DOLLY	Transport Dolly.	\$157
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec. Includes SP & BP Pad Options.	\$114
FBG	Felt Based Glides.	\$28
GG	Ganging Glides.	\$23

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	SEAT	BACK	COM YARDAGE
IN233	Sled Base Armless	W 21 D 23.5 H 31.5	SW 19 SD 17.5 SH 18	BW 19.5 BH 13.5	SP or BP 1.00
Dolly	Empty	W 21 D 39.5 H 22			
Dolly	With one IN233	W 21 D 39.5 H 40 (add 1" for each IN233 stacked thereafter, fully loaded depth 45")			

All measurements are approximate and can change depending on the configuration chosen.



indy multipurpose 4-leg

SIN#: 711-19

pictured model

IN243 SCC SP BP



features and benefits

- Durable black injection molded plastic/polyurethane seat and back with steel substructure.
- Ergonomically shaped seat with waterfall edge. Upholstered seat and back pads are available.
- Black powder coat finished, H-frame construction standard. Casters available. Silver Metallic available.
- Stacks 5 high on Floor or Dolly.
- Matching task and multipurpose for 300 lb weight capacity.

pricing (Grade LV = Grade 10)

armless

	Model	Description	List
--	-------	-------------	------



IN243	Stackable	327
-------	-----------	-----

pad options

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
SP	Upholstered Seat Pad	33	47	60	64	76	90	104	121	132	147
BP	Upholstered Back Pad	29	43	56	60	72	85	100	116	128	141

options & upgrades

Code	Description	List Price
MULTIPURPOSE		
DOLLY	Transport Dolly - For Multipurpose Chairs. 23" x 22"	\$157
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SCC	Standard Carpet Casters – Standard Carpet Casters for 4-Leg Chairs.	\$68
STW	Soft Twin Wheel Casters – For use on hard floors. Only available when combined with SCC option	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec. Includes SP & BP Pad Options.	\$114
SM	Silver metallic powder coat finished frame.	\$11

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	SEAT	BACK	COM YARDAGE
IN243	Multipurpose Armless	W 21 D 23.5 H 31.5	SW 19 SD 17.5 SH 20	BW 19.5 BH 13.5	SP or BP 1.00

All measurements are approximate and can change depending on the configuration chosen.

indy



jay

multipurpose

SIN#: 711-19



pictured model
JA244

features and benefits

- Eye catching, contemporary mesh styling suitable for any single shift application. Mesh back available in 8 colors.**
- Cool, wide mesh back or fully upholstered back with wide range static lumbar support. Upholstered back option (JSUB).
- High density, 2.6lb open cell foam seat. Seamless upholstery. 5 ply seat with waterfall edge.
- Black powder coat finished, H-frame construction standard. Silver Metallic available. Stacks 5 on Floor, 4 on Dolly.
- Matching swivel, task, and stool models in 300 lb weight capacities - found in old favorites.

pricing (Grade LV = Grade 10)

arm

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
JA244	Stackable Arm	523	544	566	573	592	614	636	665	682	705



ADDITIONAL OPTION

JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181
------	------------------	----	----	----	----	----	-----	-----	-----	-----	-----

armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
JA243	Stackable Armless	467	488	510	517	536	557	580	608	626	649



ADDITIONAL OPTION

JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181
------	------------------	----	----	----	----	----	-----	-----	-----	-----	-----

options & upgrades

Code	Description	List Price
------	-------------	------------

SEAT

SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84

MULTIPURPOSE

DOLLY	Transport Dolly - For Multipurpose Chairs. 23" x 22"	\$157
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SCC	Standard Carpet Casters – Standard Carpet Casters for 4-Leg Chairs.	\$68
STW	Soft Twin Wheel Casters – For use on hard floors. Only available when combined with SCC option	\$23

SPECIALTY

CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
JA244	Multipurpose Arm	W 24 D 23.25 H 32	SW 19.5 SD 17.5 SH 18	BW 18.5 BH 15	1.00 (add 1.00 JSUB)
JA243	Multipurpose Armless	W 21 D 23.25 H 32	SW 19.5 SD 17.5 SH 18	BW 18.5 BH 15	1.00 (add 1.00 JSUB)

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.

jay

multipurpose sled base

SIN#: 711-19

pictured model
JA234



features and benefits

- Eye catching, contemporary mesh styling suitable for any single shift application. Mesh back available in 8 colors.**
- Cool, wide mesh back with wide range static lumbar support. Upholstered back option (JSUB).
- High density, 2.6lb open cell foam seat. Seamless upholstery. 5 ply seat with waterfall edge.
- Black powder coat finished frame. Stacks 5 on Floor, 4 on Dolly.
- Matching swivel, task, and stool models in 300 lb weight capacities - found in old favorites.

pricing (Grade LV = Grade 10)

arm

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
JA234	Stackable	523	544	566	573	592	614	636	665	682	705



ADDITIONAL OPTION

JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181
------	------------------	----	----	----	----	----	-----	-----	-----	-----	-----

armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
JA233	Stackable	467	488	510	517	536	557	580	608	626	649



ADDITIONAL OPTION

JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181
------	------------------	----	----	----	----	----	-----	-----	-----	-----	-----

options & upgrades

Code	Description	List Price
SEAT		
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
MULTIPURPOSE		
DOLLY	Transport Dolly. 23"W x 22"D x 22"H	\$157
FBG	Felt Based Glides.	\$28
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
GG	Ganging Glides.	\$23

For more information on Options & Upgrades, please see pages 5-6.


measurements

Model	Style	Overall	Seat	Back	COM Yardage
JA234	Multipurpose Arm	W 23 D 23.75 H 33	SW 18.5 SD 19.5 SH 18.5	BW 18.5 BH 18	1.00 (add 1.00 JSUB)
JA233	Multipurpose Armless	W 19.75 D 23.75 H 33	SW 18.5 SD 19.5 SH 18.5	BW 18.5 BH 18	1.00 (add 1.00 JSUB)

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.

jay



seating
inc.



jay nest-it

SIN#: 711-19

pictured model
JN243S PB



pictured model
JN244B



features and benefits

- Ergonomically Adaptable - Masterfully Flexible.
- 7 ply compound curved plywood substructure. Choose Arm or armless. Tablet arm available in old favorites.
- 3" thick, 2.6lb open cell foam seat. Add TLC memory foam seat option for superior comfort.
- Torsion spring pivoting back rest. Black or Silver metallic powder coat finished frame with carpet casters.
- Optional upholstered back. Standard Mesh back available in 8 colors.**

pricing (Grade LV = Grade 10)

arm

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	JN244B	Arm, Black	701	722	744	756	777	802	827	858	878	903
	JN244S	Arm, Silver	701	722	744	756	777	802	827	858	878	903
	ADDITIONAL OPTION											
	JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181

armless

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	JN243B	Armless, Black	678	700	721	734	754	779	805	835	855	881
	JN243S	Armless, Silver	678	700	721	734	754	779	805	835	855	881
	ADDITIONAL OPTION											
	JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181

jay nest-it

options & upgrades

Code	Description	List Price
BACK		
PB	Perforated Plastic Back – Black Only.	N/C
SEAT		
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
GLIDES/CASTERS		
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SPECIALTY		
CAL	133 Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
JN244	Arm	W 23.5 D 22 H 34	SW 18.5 SD 18.5 SH 18	BW 17.5 BH 14	1.00 (add 1.00 JSUB)
JN243	Armless	W 20 D 22 H 34	SW 18.5 SD 18.5 SH 18	BW 17.5 BH 14	1.00 (add 1.00 JSUB)

Multiple Nesting Dimensions: add 7" to overall depth per chair with standard seat. Tablet arm does not nest.

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



pictured model
KA200 E21 PAA PAB


features and benefits

- A sophisticated addition to both executive and conference environments.
- 2.9lb open cell foam seat and 1.2lb open cell foam back.
- V shaped 17 ply American plywood frame.
- Ample support with waterfall cushion.
- Standard black composite spider base with 75mm dual wheel carpet casters. 300 lb. weight capacity.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	KA200 E21	Swivel Tilt	1157	1203	1250	1285	1332	1390	1448	1518	1565	1623
	KA200 E27	Swivel Knee Tilt	1273	1320	1366	1402	1448	1507	1565	1635	1682	1740

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	KA201 E21	Swivel Tilt	946	987	1028	1052	1091	1138	1187	1245	1283	1332
	KA201 E27	Swivel Knee Tilt	1063	1104	1145	1169	1207	1256	1304	1362	1400	1448

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
KA200	High Back	W 25.5 D 25.5 H 48	SW 21 SD 18 SH 16.5-21.25	BW 20 BH 31.5	2.00
KA201	Medium Back	W 25.5 D 25.5 H 40	SW 21 SD 18 SH 16.5-21.25	BW 20 BH 23.5	1.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



BPA - \$118

PAA - \$202

C-style, black, polyurethane. Fixed height and width.

C-style, polished aluminum with black no-slip pad. Fixed height and width.

options & upgrades

Code	Description	List Price
SEAT		
LSS	Layered Soft Seat – 2.9 lb. open cell foam base replaces standard foam seat.	\$40
SEF	High Density Foam Seat – 3.2 lb. Molded foam seat replaces standard foam seat.	\$56
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
BASES/GLIDES/CASTERS		
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
WB	26" Traditional Wood Base – 2" bronze finished, hooded ball casters. See page 6 for wood finish choices.	\$248
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

monterey II

task

SIN#: 711-18



pictured model

MO210 Q25 TAC ASD BAA PAB


features and benefits

- Contemporary, sophisticated style with strong, striking lines and attention to detail.
- 3.2lb Closed cell molded foam seat and 1.2lb open cell foam back provide all day comfort and long lasting support.
- 7 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Distinctively tapered three panel stitched back and tailored seat.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb. Matching task in 550 lb.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)


high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO210 Q22 Posture Back	792	849	904	922	970	1030	1088	1159	1206	1266
	MO210 Q24 Weight Activated	859	914	969	989	1036	1095	1154	1225	1272	1331
	MO210 Q25 Knee Tilt 2:1	878	933	988	1007	1055	1114	1172	1244	1291	1350

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO211 Q22 Posture Back	759	811	862	880	924	979	1034	1099	1143	1198
	MO211 Q24 Weight Activated	825	877	928	945	989	1044	1099	1165	1208	1264
	MO211 Q25 Knee Tilt 2:1	843	895	946	964	1008	1063	1118	1184	1227	1282

small back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO212 M20 Swivel/Seat Height	647	691	734	749	786	832	879	934	971	1018
	MO212 Q22 Posture Back	736	780	824	839	876	922	968	1024	1062	1108
	MO212 Q24 Weight Activated	803	847	890	905	941	988	1035	1090	1127	1174

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO210	High Back	W 24.5 D 24.5 H 38	SW 21.5 SD 19.5 SH 16.5-21	BW 20 BH 22	2.50
MO211	Medium Back	W 24.5 D 24.5 H 34	SW 21.5 SD 19.5 SH 16.5-21	BW 19 BH 18	2.25
MO212	Small Back	W 23 D 23 H 32	SW 19.5 SD 17.5 SH 16.5-21	BW 17.5 BH 16	2.00

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135 T-style, angled, with urethane pad. 4-way adjustable.	T5 - \$203 T-style, angled, with urethane pad. 5-way adjustable.	TC - \$119 T-style with urethane pad. Height adjustable.
--	--	--

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12” to back height.	\$79
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
TBH	Tall Back Height – Option for high back models only. Adds 5” to standard back height. Add 1/2 yard for C.O.M.	\$90
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

monterey II stool

SIN#: 711-18



pictured model
MO221 Q22 T4 BSB

features and benefits

- Contemporary, sophisticated style with strong, striking lines and attention to detail.
- 3.2lb Closed cell molded foam seat and 1.2lb open cell foam back provide all day comfort and long lasting support.
- 7 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Distinctively tapered three panel stitched back and tailored seat.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb. Matching task in 550 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO221 M20	Swivel/Seat Height	782	833	885	903	946	1002	1056	1122	1166	1220
	MO221 Q22	Posture Back	872	924	976	992	1036	1091	1146	1212	1255	1310

small back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO222 M20	Swivel/Seat Height	759	811	862	885	899	944	991	1047	1084	1130
	MO222 Q22	Posture Back	850	901	953	972	988	1035	1082	1137	1174	1220

For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Full height cylinder (Range: 24.75"-34.75"). Available mid height cylinder (Range: 21"-28.25") must be specified.

5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO221	Medium Back	W 24.5 D 24.5 H 42	SW 21.5 SD 19.5 SH 24.75-34.75	BW 19 BH 18	2.25
MO222	Small Back	W 23 D 23 H 39.5	SW 19.5 SD 17.5 SH 24.75-34.75	BW 17.5 BH 16	2.00

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24” wide seat. Add 1/2 yard COM.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
MID	Mid Height Cylinder – 21.00” - 28.25” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.



monterey II multipurpose

SIN#: 711-18




pictured model
MO244

features and benefits


- Contemporary, sophisticated style with strong, striking lines and attention to detail.
- High density, 1.8lb open cell foam seat and 1.2lb open cell foam back. Seamless upholstery.
- 5 ply, simple curved seat with waterfall edge. 10 ply, simple curved back with built in lumbar support.
- Black powder coat finished, wall saver H-frame. Silver Metallic available. Stacks 4 high on Floor or Dolly.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb. Matching task in 550 lb.

pricing (Grade LV = Grade 10)

arm

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO244	Stackable Arm	376	409	440	451	478	512	546	586	613	647

armless

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO243	Stackable Armless	348	381	412	423	450	484	517	557	584	619

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SEAT		
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
MULTIPURPOSE		
DOLLY	Transport Dolly - For Multipurpose Chairs. 23" x 22"	\$157
FWB	Finished Wood Back. Standard Finishes Available*. Matching Finishes CFP	\$57
FWS	Finished Wood Seat. Standard Finishes Available*. Matching Finishes CFP	\$57
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SCC	Standard Carpet Casters – Standard Carpet Casters for 4-Leg Chairs.	\$68
STW	Soft Twin Wheel Casters – For use on hard floors. Only available when combined with SCC option	\$23
SUA	Sloped Urethane Arms.	\$57
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11
WF	Changes frame to 24" width	\$200

measurements

For more information on Options & Upgrades, please see pages 5-6.

Model	Style	Overall	Seat	Back	COM Yardage
MO244	Multipurpose Arm	W 24 D 23.25 H 32	SW 19.5 SD 17.5 SH 18	BW 19.25 BH 15	1.75
MO243	Multipurpose Armless	W 20.5 D 23.25 H 32	SW 19.5 SD 17.5 SH 18	BW 19.25 BH 15	1.75

All measurements are approximate and can change depending on the configuration chosen.

*Black, Empire Mahogany, Fonthill Pear, Montana Walnut, Wild Cherry, Cafelle, Designer White, or Kensington Maple finish.

monterey II

guest

SIN#: 711-18



pictured model
MO234

features and benefits


- Contemporary, sophisticated style with strong, striking lines and attention to detail.
- High density, 1.8lb open cell foam seat and 1.2lb open cell foam back. Seamless upholstery.
- 5 ply, simple curved seat with waterfall edge. 10 ply, simple curved back with built in lumbar support.
- Black powder coat finished, H-frame construction standard. Silver Metallic available.
- Polypropylene sloped arms with steel inserts.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb. Matching task in 550 lb.

pricing (Grade LV = Grade 10)

arm

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 MO234	Sled Base Arm	484	516	547	557	584	619	652	693	720	754

armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 MO233	Sled Base Armless	422	453	486	496	523	556	591	631	658	692

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SEAT		
T LCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
GUEST		
FBG	Felt Based Glides.	\$28
FWB	Finished Wood Back. Standard Finishes Available*. Matching Finishes CFP	\$57
FWS	Finished Wood Seat. Standard Finishes Available*. Matching Finishes CFP	\$57
GC	Ganging Clamp - For Multipurpose and Guest Chairs.	\$23
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$57 per yard used
SM	Silver metallic powder coat finished frame.	\$11
WF	Changes frame width to 24"	\$200

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO234	Guest Arm	W 23.25 D 24.75 H 34.5	SW 19.5 SD 18.25 SH 18.75	BW 19.75 BH 17.5	1.75
MO233	Guest Armless	W 20.5 D 24.75 H 34.5	SW 19.5 SD 18.25 SH 18.75	BW 19.75 BH 17.5	1.75

All measurements are approximate and can change depending on the configuration chosen.

*Black, Empire Mahogany, Fonthill Pear, Montana Walnut, Wild Cherry, Cafelle, Designer White, or Kensington Maple finish.

pearl II

task

SIN#: 711-18



pictured model

PE210 Q28 TF ASD SBS T LCM HRA


features and benefits

- Classic comfort. Long lasting style. Versatile family of chairs to outfit the entire workplace.
- 3.2lb Closed cell molded foam seat and 3.2lb closed cell molded foam back provide enhanced comfort.
- 7 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Tailored seat and back cushions.
- Matching stool in 300 lb and 400 lb.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)


high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	PE210 Q22	Posture Back	736	787	837	854	896	951	1004	1068	1111	1164
	PE210 Q24	Weight Activated	803	853	903	920	963	1016	1069	1134	1176	1230
	PE210 Q25	Knee Tilt 2:1	821	872	921	939	982	1035	1088	1152	1195	1248

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	PE211 Q22	Posture Back	703	748	792	808	847	894	942	999	1038	1086
	PE211 Q24	Weight Activated	769	813	859	874	912	960	1008	1065	1103	1151
	PE211 Q25	Knee Tilt 2:1	787	832	877	892	931	979	1026	1084	1122	1170

small back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	PE212 M20	Swivel/Seat Height	591	630	670	683	717	759	802	852	886	928
	PE212 Q22	Posture Back	680	720	760	774	807	850	891	942	976	1018
	PE212 Q24	Weight Activated	747	785	826	839	873	915	957	1008	1041	1084

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
PE210	High Back	W 24.5 D 24.5 H 39.5	SW 20 SD 18 SH 16.5-21	BW 18 BH 21.5	2.25
PE211	Medium Back	W 24.5 D 24.5 H 36	SW 20 SD 18 SH 16.5-21	BW 18 BH 17	2.00
PE212	Small Back	W 24.5 D 24.5 H 34.5	SW 19 SD 18 SH 12.5-21	BW 16.5 BH 15.5	1.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.

T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.

TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BAA	Q25 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q25 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12” to back height.	\$79
IR	Impact Resistant Back – Replaces fully upholstered back.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward. Included on Q24 mechanism.	\$79
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24”. Add 1/2 yard COM.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
TBH	Tall Back Height – Option for high back models only. Adds 5” to standard back height. Add 1/2 yard for C.O.M.	\$90
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl II

pearl II stool

SIN#: 711-18



pictured model
PE221 Q22 TLCM


features and benefits

- Classic comfort. Long lasting style. Versatile family of chairs to outfit the entire workplace.
- 3.2lb Closed cell molded foam seat and 3.2lb closed cell molded foam back provide enhanced comfort.
- 7 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support..
- Tailored seat and back cushions.
- Matching task in 300 lb and 400 lb.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 PE221 M20	Swivel/Seat Height	703	748	792	808	847	894	942	999	1038	1086
PE221 Q22	Posture Back	792	838	883	899	936	984	1032	1089	1127	1175

small back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 PE222 M20	Swivel/Seat Height	680	720	760	774	807	850	891	942	976	1018
PE222 Q22	Posture Back	771	810	850	863	896	939	982	1032	1066	1108

For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Full height cylinder (Range: 24.75"-34.75"). Available mid height cylinder (Range: 21"-28.25") must be specified.

5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
PE221	Medium Back	W 24.5 D 24.5 H 43.25	SW 20 SD 18 SH 24.75-34.75	BW 18 BH 17	2.00
PE222	Small Back	W 24.5 D 24.5 H 41.75	SW 19 SD 18 SH 24.75-34.75	BW 16.5 BH 15.5	1.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
IR	Impact Resistant Back – Replaces fully upholstered back.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
TLCB	Energy Absorbing TLC Memory Foam Back – 5.2 lb. high density foam replaces standard back foam.	\$84
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
TLCM	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$56
WS	Wide Seat – Changes existing seat width to 24” wide seat. Add 1/2 yard COM.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
MID	Mid Height Cylinder – 21.00” - 28.25” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

saddle swivel

SIN#: 711-18



pictured model
SA200 E27 PAA PAB


features and benefits

- Tailored with top cushions, generous dimensions. A cut above.
- High density, 2.9lb 3 layered “Soft Seat” foam seat and 1.2lb layered foam back. Ergonomically shaped seat cushion.
- Extra wide seat and back.
- 13 ply, compound curved 2 piece plywood shell with built in lumbar support and waterfall seat.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	SA200 E21	Swivel Tilt	818	919	1021	1055	1142	1250	1358	1487	1574	1682
	SA200 E27	Swivel Knee Tilt	934	1036	1137	1172	1258	1366	1474	1604	1690	1799

For more detailed information on the mechanisms and their functions, please see pages 3-4.


measurements

Model	Style	Overall I	Seat	Back	COM Yardage
SA200	High Back	W 24.5 D 28 H 43	SW 21 SD 20 SH 16.5-21	BW 23 BH 26	4.00

All measurements are approximate and can change depending on the configuration chosen.



arm choices



BPA - \$118

PAA - \$202

T4 - \$135

C-style, black, polyurethane. Fixed height and width.

C-style, polished aluminum with black no-slip pad. Fixed height and width.

T-style, angled, with urethane pad. 4-way adjustable.

upholstered arms (add 1 yard com)

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	CUF	Fixed Height, Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	192	219	245	255	277	305	333	366	389	417
	CUA	Adjustable Height & Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	236	263	289	298	320	348	376	410	433	461
	TUF	Fixed Height, Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	192	219	245	255	277	305	333	366	389	417
	TUA	Adjustable Height & Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	236	263	289	298	320	348	376	410	433	461

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SEAT		
TLCS	Energy Absorbing TLC Memory Foam Seat – 5.2 lb. TLC memory foam seat replaces standard foam seat.	\$84
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
WB	26" Traditional Wood Base – 2" bronze finished, hooded ball casters. See page 6 for wood finish choices.	\$248
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

tradition swivel

SIN#: 711-18



pictured model
TP200 E21 CUF CAB

features and benefits

- Creative ergonomic engineering enhances distinctive, traditional styles. Designed for the executive office and boardroom.
- High density, 2.9lb layered “Soft Seat” foam seat and 1.2lb layered foam back.
- 13 ply, compound curved plywood shell with built in lumbar support and waterfall seat.
- Choose plain, buttoned, or tufted back upholstery. French seam tailoring.
- Matching task and guest models in 300 lb. Matching swivel and task models in 400 lb. Matching swivel in 550 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
plain back											
TP200 E21	Swivel Tilt	841	936	1034	1044	1056	1128	1199	1285	1342	1414
TP200 E27	Swivel Knee Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531
button back											
TB200 E21	Swivel Tilt	841	936	1034	1044	1056	1128	1199	1285	1342	1414
TB200 E27	Swivel Knee Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531



For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
T200 Series	High Back	W 27 D 27 H 45	SW 21 SD 20 SH 16.5-21	BW 21 BH 28	2.75

All measurements are approximate and can change depending on the configuration chosen.



arm choices



BPA - \$118

PAA - \$202

T4 - \$135

C-style, black, polyurethane. Fixed height and width.

C-style, polished aluminum with black no-slip pad. Fixed height and width.

T-style, angled, with urethane pad. 4-way adjustable.

upholstered arms (add 1 yard com)

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	CUF	Fixed Height, Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	192	219	245	255	277	305	333	366	389	417
	CUA	Adjustable Height & Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	236	263	289	298	320	348	376	410	433	461
	TUF	Fixed Height, Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	192	219	245	255	277	305	333	366	389	417
	TUA	Adjustable Height & Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	236	263	289	298	320	348	376	410	433	461

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
WW	Wide Width – Changes swivel seat width to 24" inside dimension. Add 1/2 yard COM.	\$135
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
WB	26" Traditional Wood Base – 2" bronze finished, hooded ball casters. See page 6 for wood finish choices.	\$248
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Options & Upgrades, please see pages 5-6.

tradition



tradition guest 4-leg wood base

SIN#: 711-18

pictured model

TB244 Mahogany



features and benefits

- Creative ergonomic engineering enhances distinctive, traditional styles. Designed for the executive office and boardroom.
- High density, 2.9lb 3 layered "Soft Seat" foam seat and 1.2lb layered foam back.
- Plain back upholstery. Tailored seat, back, and arms.
- 7 ply seat. 10 ply, simple curved back with built in lumbar support.
- 4-leg wood frame. Black, Empire Mahogany, Fonthill Pear, Montana Walnut, Wild Cherry, Cafelle, Designer White, or Kensington Maple finish.
- Outfit your executive office with traditional swivel and side chairs.

pricing (Grade LV = Grade 10)

plain back armless

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
TP243	Armless	1209	1298	1388	1406	1456	1520	1583	1658	1709	1771



plain back contemporary arms

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
TP244	Contemporary	1326	1415	1504	1515	1584	1670	1755	1859	1928	2013



plain back traditional arms

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
TB244	Traditional	1326	1415	1504	1515	1584	1670	1755	1859	1928	2013



options & upgrades


Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
VBE	Vinyl Back Edge – Protects back upholstery from impact and minimizes damage.	\$28

For more information on Options & Upgrades, please see pages 5-6.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
TP243	Guest Armless	W 23 D 25 H 38	SW 23 SD 18.5 SH 18.75	BW 17.5 BH 21.5	2.50
TP244	Guest Arms	W 29 D 25 H 38	SW 23 SD 18.5 SH 18.75	BW 17.5 BH 21.5	3.50
TB244	Guest Arms	W 29 D 25 H 38	SW 23 SD 18.5 SH 18.75	BW 17.5 BH 21.5	3.50

All measurements are approximate and can change depending on the configuration chosen.



seating
inc.

voyager

**WHITE TASK
UPHOLSTERED BACK**



Model	List Pricing	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
VO WU A	Package A	1118	1223	1272	1291	1331	1384	1436	1501	1541	1594
Infinite locking 2:1 synchro mechanism with chrome finish cylinder, ratchet height adjust arms with sliding arm pads, polished aluminum spider base with black casters.											
VO WU B	Package B	1149	1254	1303	1322	1362	1415	1467	1532	1572	1626
Package A plus a memory foam seat.											
VO WU C	Package C	1182	1288	1336	1355	1396	1449	1501	1565	1606	1659
Package A plus an adjustable seat depth.											
VO WU D	Package D	1213	1318	1367	1385	1426	1479	1531	1595	1636	1689
Package A plus an adjustable seat depth and a memory foam seat.											

voyager

**BLACK TASK
UPHOLSTERED BACK**



Model	List Pricing	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
VO BU A	Package A	1118	1223	1272	1291	1331	1384	1436	1501	1541	1594
Infinite locking 2:1 synchro mechanism with chrome finish cylinder, ratchet height adjust arms with sliding arm pads, polished aluminum spider base with black casters.											
VO BU B	Package B	1149	1254	1303	1322	1362	1415	1467	1532	1572	1626
Package A plus a memory foam seat.											
VO BU C	Package C	1182	1288	1336	1355	1396	1449	1501	1565	1606	1659
Package A plus an adjustable seat depth.											
VO BU D	Package D	1213	1318	1367	1385	1426	1479	1531	1595	1636	1689
Package A plus an adjustable seat depth and a memory foam seat.											

ADDITIONAL OPTIONS & INFORMATION

CHC Chrome Accent Casters Add 52

Upholstery Combination - Chair is priced at the higher grade. Limit 2 textiles (Seat & Back). Peek-a-boo textile matches seat textile. Voyager includes carpet casters. Hard floor casters can be specified at no additional charge.

MEASUREMENTS

Overall	Seat	Back	COM	Yardage
W 26 D 25 H 39.5	SW 19 SD 18 SH 16.5-19	BW 18.5 BH 25.75	1 Textile: 2 yards	2 Textiles: Seat - 1.5 yards, Back - 1 yard



ZON multipurpose sled base

SIN#: 711-19

pictured model
ZO234B Black



pictured model
ZO233C Black



features and benefits

- Durable injection molded plastic seat, back, and arm caps. Arm or armless.
- Mix and match colors: Black, White, Orange, Blue, Green, or Red. Frame finish available Black or Chrome.
- Ergonomically shaped seat with waterfall edge. Upholstered seat pad available. Vented back rest.
- Wall saver sled base, 1/2" solid steel wire frame. Stacks 10 high on Floor or 15 High on Dolly.
- 300 lb. weight capacity.

pricing (Grade LV = Grade 10)

arm and armless

	Model	Description	List
	ZO233B *Color	Black Frame Armless	218
	ZO234B *Color	Black Frame Arms	270
	ZO233C *Color	Chrome Frame Armless	224
	ZO234C *Color	Chrome Frame Arms	276

*Color - Specify color or color combination of seat, back, and arm caps. Black, White, Orange, Blue, Green, or Red

pad options

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
SP	Upholstered Seat Pad	33	47	60	64	76	90	104	121	132	147

options & upgrades

Code	Description	List Price
SPECIALTY		
DOLLY	Transport Dolly.	\$157

measurements


Model	Style	Overall	SEAT	BACK	COM YARDAGE
ZO233	Sled Base Armless	W 20 D 21 H 32.25	SW 18.5 SD 17 SH 18	BW 18.25 BH 16.5	SP 1.00
ZO234	Sled Base Arms	W 24.75 D 21 H 32.25	SW 18.5 SD 17 SH 18	BW 18.25 BH 16.5	SP 1.00
Dolly	Empty	W 21 D 39.5 H 22			
Dolly	With one unit	W 21 D 39.5 H 40 (add 1" for each unit stacked thereafter, fully loaded depth 45")			

All measurements are approximate and can change depending on the configuration chosen.

minimum quantity order

6 chair minimum order quantity. \$10.00 charge per chair for all orders under quantity 6 plus standard freight charges apply

voyager / zon



seating
inc.



400 SERIES - 24/7 INTENSIVE USE

MODEL	PAGE
Grid Square	75-78
Monterey II	79-82
Pearl II	83-86

grid task square back

SIN#: 711-18

pictured model

GS311 Q35 TAC ASD CAC



features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam. 10 ply, compound curved seat with waterfall edge. Tailored seat cushion.
- Composite nylon frame. Quick set 4" range height adjustable lumbar with independent horizontal lumbar adjustments.
- High back includes height adjustable pivoting headrest. Mesh back available in 8 colors.**
- Matching swivel, task, and stool in 300 lb weight capacity. Matching stool in 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	GS311 Q32	Posture Back	1002	1021	1041	1047	1064	1086	1107	1132	1148	1170
	GS311 Q35	Knee Tilt 2:1	1040	1060	1081	1087	1103	1125	1146	1171	1188	1210
	GS311 Q38	Multi Function	1080	1099	1119	1126	1143	1164	1186	1211	1227	1248

ADDITIONAL OPTION

GSHUB	Upholstered Back	67	93	119	129	151	179	207	241	263	291	
GSHR	Grid Square Head Rest	Add \$33										

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GS311	Medium Back	W 25 D 25 H 39	SW 21.5 SD 19.5 SH 16.5-21	BW 19 BH 24	1.00

Headrest adds 8" to overall height

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135

T5 - \$203

TC - \$119

T-style, angled, with urethane pad. 4-way adjustable.

T-style, angled, with urethane pad. 5-way adjustable.

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2" horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
BACK		
BAA	Q35 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q35 2:1 synchro mechanism.	\$56
SEAT		
ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24".	\$112
BASES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SIZE		
TSD	Tall Seat Depth – Adds 2.5" to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

grid square

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

grid stool square back

SIN#: 711-18

pictured model

GS321 Q32 TF




features and benefits

- Superior ergonomics and cool mesh style ideal for intensive environments. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam. 10 ply, compound curved seat with waterfall edge. Tailored seat cushion
- Composite nylon frame. Quick set 4" range height adjustable lumbar with independent horizontal lumbar adjustments.
- Mesh back available in 8 colors.**
- Matching swivel, task, stool, and guest in 300 lb weight capacity. Matching task in 400 lb weight capacity.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 GS321 Q32	Posture Back	1114	1134	1153	1160	1177	1198	1219	1244	1262	1282

ADDITIONAL OPTION

GSHUB	Upholstered Back	67	93	119	129	151	179	207	241	263	291
-------	------------------	----	----	-----	-----	-----	-----	-----	-----	-----	-----

For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Standard mid height cylinder (Range: 21"-28.25"). Available full height cylinder (Range: 24.75"-34.75") must be specified.

5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
GS321	Medium Back	W 25 D 25 H 46	SW 21.5 SD 19.5 SH 21-28.25	BW 19 BH 24	1.00

All measurements are approximate and can change depending on the configuration chosen.

**Black, Red, Wine, Orange, Green, Blue, White, or Grey.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24”.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
FULL	Full Height Cylinder – 24.75” - 34.75” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

grid square

monterey II task

SIN#: 711-18



pictured model

MO310 Q35 TAC ASD BAA PAB


features and benefits

- Contemporary, sophisticated style with strong, striking lines and attention to detail. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 1.2lb open cell foam back provide all day comfort and long lasting support.
- 10 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Distinctively tapered three panel stitched back and tailored seat.
- Matching task, stool, multipurpose, and guest models in 300 lbs. Matching stool in 400 lbs. Matching Task in 550 lbs.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO310 Q30	Swivel/Seat Height	906	961	1016	1036	1083	1142	1201	1272	1319	1378
	MO310 Q32	Posture Back	1007	1062	1118	1137	1184	1243	1302	1373	1420	1479
	MO310 Q35	Knee Tilt 2:1	1046	1101	1158	1176	1223	1282	1342	1412	1459	1518

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	MO311 Q30	Swivel/Seat Height	860	912	963	981	1025	1080	1135	1200	1244	1299
	MO311 Q32	Posture Back	972	1024	1076	1093	1138	1192	1247	1312	1357	1411
	MO311 Q35	Knee Tilt 2:1	1012	1064	1115	1133	1177	1231	1286	1352	1396	1451

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO310	High Back	W 24.5 D 24.5 H 38	SW 21.5 SD 19.5 SH 16.5-21	BW 20 BH 22	2.50
MO311	Medium Back	W 24.5 D 24.5 H 34	SW 21.5 SD 19.5 SH 16.5-21	BW 19 BH 18	2.25

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
BACK		
BAA	Q35 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q35 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8” and horizontal range of 2”, adds 12” to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12” to back height.	\$79
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24”.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75” - 18.50” cylinder height.	N/C
CYLT	Tall Cylinder – 19.00” - 23.25” cylinder height.	N/C
SIZE		
TBH	Tall Back Height – Option for high back models only. Adds 5” to standard back height. Add 1/2 yard for C.O.M.	\$90
TSD	Tall Seat Depth – Adds 2.5” to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

monterey II stool

SIN#: 711-18



pictured model
MO321 Q32 TE WAB

features and benefits

- Contemporary, sophisticated style with strong, striking lines and attention to detail. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 1.2lb open cell foam back provide all day comfort and long lasting support.
- 10 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Distinctively tapered three panel stitched back and tailored seat.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb. Matching task in 550 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
MO321 Q30	Swivel/Seat Height	972	1024	1076	1093	1138	1192	1247	1312	1357	1411
MO321 Q32	Posture Back	1086	1137	1189	1206	1250	1305	1359	1426	1470	1524

For more detailed information on the mechanisms and their functions, please see pages 3-4.



standard

20" non-slip, height adjustable, chrome foot ring.

Standard mid height cylinder (Range: 21"-28.25"). Available full height cylinder (Range: 24.75"-34.75") must be specified. 5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO321	Medium Back	W 24.5 D 24.5 H 42	SW 21.5 SD 19.5 SH 21-28.25	BW 19 BH 18	2.25

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24” wide seat.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
FULL	Full Height Cylinder – 24.75” - 34.75” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl II

task

SIN#: 711-18



pictured model

PE310 Q38TF ASD SBS HRA


features and benefits

- Classic comfort. Long lasting style. Versatile family of chairs to outfit the entire workplace. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 3.2lb closed cell molded foam back provide enhanced comfort.
- 10 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Tailored seat and back cushions.
- Matching task, stool, multipurpose, and guest in 300 lb. Matching stool in 400 lb. Matching Task in 550 lb.


pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	PE310 Q30	Swivel/Seat Height	838	888	938	956	998	1051	1106	1169	1212	1266
	PE310 Q32	Posture Back	951	1000	1050	1068	1111	1164	1218	1281	1324	1378
	PE310 Q35	Knee Tilt 2:1	979	1029	1078	1096	1139	1192	1246	1309	1353	1406

medium back

	Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
	PE311 Q30	Swivel/Seat Height	804	849	894	909	947	995	1043	1100	1139	1187
	PE311 Q32	Posture Back	916	962	1007	1022	1060	1108	1155	1213	1251	1299
	PE311 Q35	Knee Tilt 2:1	944	990	1035	1050	1088	1136	1184	1241	1279	1327

For more detailed information on the mechanisms and their functions, please see pages 3-4.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
PE310	High Back	W 25 D 25 H 39.5	SW 21.5 SD 19.5 SH 16.5-21	BW 18 BH 21.5	2.25
PE311	Medium Back	W 25 D 25 H 36	SW 21.5 SD 19.5 SH 16.5-21	BW 18 BH 17	2.00

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T-style, angled, with urethane pad. 4-way adjustable.



T5 - \$203

T-style, angled, with urethane pad. 5-way adjustable.



TC - \$119

T-style with urethane pad. Height adjustable.

arm upgrades

Code	Description	List Price
WAB	Width Adjustment Brackets – 2" horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
BACK		
BAA	Q35 Back Angle Adjustment – Allows adjustment 5° forward or 5° rearward on the Q35 2:1 synchro mechanism.	\$56
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8" and horizontal range of 2", adds 12" to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12" to back height.	\$79
IR	Impact Resistant Back – Replaces fully upholstered back.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
TLCB	Energy Absorbing TLC Memory Foam Back – 5.2 lb. high density foam replaces standard back foam.	\$84
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5" travel; 1.25" forward, 1.25" rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24".	\$112
BASES/GLIDES/CASTERS		
BSB	25", 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26", 5 Leg Cast Aluminum Base – Black Finish.	\$58
FCB	Fixed Column Jury Base – Includes black molded cover to conceal mounting hardware.	\$135
GLIDES	2 1/2" Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26", 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25", 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SIZE		
TBH	Tall Back Height – Option for high back models only. Adds 5" to standard back height. Add 1/2 yard for C.O.M.	\$90
TSD	Tall Seat Depth – Adds 2.5" to standard task seat depth. Tall (CYLT) cylinder included. Add 1/2 yard for C.O.M.	\$117
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl II stool

SIN#: 711-18



pictured model
PE321 Q32

features and benefits

- Classic comfort. Long lasting style. Versatile family of chairs to outfit the entire workplace. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 3.2lb closed cell molded foam back provide enhanced comfort.
- 10 ply, compound curved seat with waterfall edge. 10 ply, compound curved back with built in lumbar support.
- Tailored seat and back cushions.
- Matching task, stool, multipurpose, and guest in 300 lb. Matching Task in 400 lb and 550 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

medium back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
PE321 Q30	Swivel/Seat Height	916	962	1007	1022	1060	1108	1155	1213	1251	1299
PE321 Q32	Posture Back	1030	1074	1119	1135	1172	1220	1268	1326	1363	1411



For more detailed information on the mechanisms and their functions, please see pages 3-4.

standard

20" non-slip, height adjustable, chrome foot ring.

Standard mid height cylinder (Range: 21"-28.25"). Available full height cylinder (Range: 24.75"-34.75") must be specified. 5 carpet casters. Glides or any combination of glides and casters must be specified.

measurements

Model	Style	Overall	Seat	Back	COM Yardage
PE321	Medium Back	W 25 D 25 H 43.25	SW 21.5 SD 19.5 SH 21-28.25	BW 18 BH 17	2.00

All measurements are approximate and can change depending on the configuration chosen.



arm choices



T4 - \$135

T5 - \$203

TC - \$119

T-style, angled, with urethane pad. 4-way adjustable.

T-style, angled, with urethane pad. 5-way adjustable.

T-style with urethane pad. Height adjustable.

arm upgrades


Code	Description	List Price
WAB	Width Adjustment Brackets – 2” horizontal arm adjustment. (standard on T4 & T5 arms)	\$23
G	Gel Pad Upgrade – (available on all T-Style arms except T4 & T5 arms; standard on TE arms)	\$64
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad. (not available on T4 & T5 arms)	\$90

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
IR	Impact Resistant Back – Replaces fully upholstered back.	N/C
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
TLCB	Energy Absorbing TLC Memory Foam Back – 5.2 lb. high density foam replaces standard back foam.	\$84
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
ASD	Adjustable Seat Depth – 2.5” travel; 1.25” forward, 1.25” rearward.	\$79
WS	Wide Seat – Changes existing seat width to 24” wide seat.	\$112
BASES/GLIDES/CASTERS		
BSB	25”, 5 Leg Black Composite Spider Base – Black finish with 75mm non-hooded carpet casters.	\$17
CAB	26”, 5 Leg Cast Aluminum Base – Black Finish.	\$58
GLIDES	2 1/2” Carpet/Hard Floor Glides.	N/C
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHROME & POLISHED ALUMINUM		
CAC	26”, 5 Leg Cast Aluminum Base – Chrome finish.	\$58
PAB	25”, 5 Leg Cast Aluminum Spider Base – Polished aluminum finish with 75mm non-hooded carpet casters.	\$57
CHAIR HEIGHT		
FULL	Full Height Cylinder – 24.75” - 34.75” cylinder height for STOOLS.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl III



seating
inc.



550 SERIES - GENEROUS FIT - 24/7 INTENSIVE USE

MODEL

PAGE

Monterey II

89-90

Pearl II

91-92

monterey II task

SIN#: 711-18

↑ to 550



pictured model

MO510 Q51 TH

features and benefits

- Contemporary, sophisticated style with strong, striking lines and attention to detail. Generous Fit. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 1.2lb open cell foam back provide all day comfort and long lasting support.
- 10 ply, compound curved seat with waterfall edge and steel reinforcement. Tailored seat. 28" Cast aluminum black base.
- 13 ply, compound curved back with built in lumbar support. Three panel stitched back.
- Matching swivel, task, stool, multipurpose, and guest models in 300 lb and 400 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
MO510 Q51	Multi Lock Swivel Tilt	1868	1965	2061	2094	2175	2278	2380	2502	2584	2686



measurements

Model	Style	Overall	Seat	Back	COM Yardage
MO510	High Back	W 28 D 30 H 46	SW 24 SD 22 SH 16.5-21	BW 22.5 BH 26	3.50

All measurements are approximate and can change depending on the configuration chosen.





arm choices



TH - \$180

T-style, super duty arm, gel comfort pad

upholstered arms (add 1.5 yard com)

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 CUF	Fixed Height, Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	192	219	245	255	277	305	333	366	389	417
 TUF	Fixed Height, Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	192	219	245	255	277	305	333	366	389	417

arm upgrades

Code	Description	List Price
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad.	\$90

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8" and horizontal range of 2", adds 12" to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12" to back height.	\$79
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
XW	Extra Wide - Changes 550 task seat width to 26".	\$112
BASES/GLIDES/CASTERS		
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl II

task

SIN#: 711-18



pictured model
PE510 Q51 CUF

features and benefits

- Classic comfort. Long lasting style. Versatile family of chairs to outfit the entire workplace. Generous Fit. 24/7 Intensive Use.
- 5.2lb TLC energy absorbing molded foam seat and 3.2lb closed cell molded foam back provide enhanced comfort.
- 10 ply, compound curved seat with waterfall edge and steel reinforcement. Tailored seat. 28" Cast aluminum black base.
- 13 ply, compound curved back with built in lumbar support. Seamless upholstered back cushion.
- Matching task, stool, multipurpose, and guest in 300 lb and 400 lb weight capacities. Matching swivel in 300 lb.

pricing

all models are priced armless and feature 360° swivel & pneumatic seat height. (Grade LV = Grade 10)

high back

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
PE510 Q51	Multi Lock Swivel Tilt	1868	1965	2061	2094	2175	2278	2380	2502	2584	2686



measurements

Model	Style	Overall	Seat	Back	COM Yardage
PE510	High Back	W 30 D 29 H 45	SW 24 SD 22 SH 16.5-21	BW 24 BH 28	3.00

All measurements are approximate and can change depending on the configuration chosen.





arm choices



TH - \$180

T-style, super duty arm, gel comfort pad

upholstered arms (add 1.5 yard com)

Model	Description	Gr 1	Gr 2	Gr 3	Gr 4	Gr 5	Gr 6	Gr 7	Gr 8	Gr 9	Gr 10
 CUF	Fixed Height, Adjustable Width (Dimensions: 12.5" H x 18.5" L x 2.75" W)	192	219	245	255	277	305	333	366	389	417
 TUF	Fixed Height, Adjustable Width (Dimensions: 11" H x 18" L x 4" W)	192	219	245	255	277	305	333	366	389	417

arm upgrades

Code	Description	List Price
CNP	Cordura® Nylon Upholstered Arm Pad – Virtually indestructible upholstered arm pad.	\$90

options & upgrades

Code	Description	List Price
BACK		
BN	Black Ballistic Nylon – Upholstered outer back protects against wear in intensive use environments.	N/C
HRA	2-Way Adjustable Head Rest – Vertical range of 2 3/8" and horizontal range of 2", adds 12" to back height.	\$270
HRF	Fixed Head Rest – Provides neck support for recline positions, adds 12" to back height.	\$79
SBS	Schukra® Back Saver – Mechanical adjustable lumbar support.	\$79
VBE	Vinyl Back Edge – Clear vinyl edging protects back upholstery from impact damage.	\$28
SEAT		
XW	Extra Wide - Changes 550 task seat width to 26".	\$112
BASES/GLIDES/CASTERS		
STW	Soft Twin Wheel Casters – For use on hard floors.	\$23
SWB	Hard Floor Braking Casters - Brakes steady chair as user sits. Not available for PAB or BSB bases.	\$45
CHAIR HEIGHT		
CYLS	Short Cylinder – 15.75" - 18.50" cylinder height.	N/C
CYLT	Tall Cylinder – 19.00" - 23.25" cylinder height.	N/C
SPECIALTY		
CAL 133	Flame Guard – Chair made to conform to CAL 133 spec.	\$59 per yard used
ESD	Electro Static Discharge - Includes CAB and ESD STW - limited vinyl and fabric choices.	Add \$315 to Grade One Price

For more information on Arm Choices, Options & Upgrades, please see pages 5-6.

pearl III

ADDITIONAL INFORMATION

COM & UC Procedure |
BIFMA level certified | Codes & Testing |
Old Favorites | Pneumatic Cylinders | Index

COM AND UC PROCEDURE

CUSTOMER'S OWN MATERIAL (COM)

In order to do our best to ensure that Seating Inc. products upholstered in COM textiles meet your expectations for appearance and durability, we require that all COM fabric, vinyl and leather is reviewed for performance and quality.

Approval Procedure:

Contact your fabric representative to confirm fabric width, pattern repeat and direction. Include relevant information along with your sample, bearing in mind that fabric limitations such as roll width and “stretch” may impact options.

Send a minimum 6”x6” sample of the COM textile to Seating Inc. along with product style number and order quantity, and your contact information.

Seating Inc. will test for suitability and notify you of approval and specific yardage requirements.

IMPORTANT:

- 1) Seating Inc. will not be held responsible for any COM textile wear, defects or appropriateness.
- 2) Seating Inc. reserves the right to refuse any COM material it deems inappropriate for any reason.
- 3) The buyer assumes responsibility for all costs associated with approval, shipping, receiving, storage and other charges related to a COM order.

Ordering (for approved COM textiles)

Yardage in the price book is based on 54” non-patterned material. COM requirements may increase or decrease depending on the width of the roll, pattern repeat and direction, and the quantity of products to be manufactured. Please call the factory for final confirmation of yardage before placing your COM fabric order.

Apply Grade One pricing when you prepare a purchase order for COM.

Order COM textile from appropriate mill or jobber making sure that orders are tagged with the purchase order # that matches the order to Seating Inc.

Ship to:

Seating Inc.
60 North State St.
Nunda, NY 14517
800-468-2475.

Production lead times will be confirmed after COM textiles are received by the factory.

IMPORTANT:

- 1) If you wish to have any unused material returned to you, indicate this on the purchase order.
- 2) You must understand and acknowledge that you, the buyer, are responsible for all handling, packaging and shipping costs to return the materials.

UPHOLSTERY COMBINATION (UC)

A minimum of \$42 will be charged for UC. Due to variations in models and sizes, yield and/or pattern matching, additional costs may apply. Call Seating Inc. to confirm these costs.

When combining carded or graded in textiles of different grade levels, products will be priced at the higher grade level.

Indicate the pattern direction when specifying upholstery combinations in non-solid textiles, bearing in mind that fabric limitations such as roll width and “stretch” may impact options.

Refer to information above for COM.

SEATING INC'S BIFMA level® CERTIFIED CHAIRS

Since we built our first custom chair over 25 years ago, Seating Inc. has made every effort to be a responsible corporate citizen. As the importance of a healthy workplace and a clean global environment has grown, so has our commitment to manufacturing “green” office seating products.



level® Certified - BIFMA sustainability program

Seating Inc. has earned a level® 1 certification that its products conform to the ANSI/BIFMA e3-2012 furniture standard. This American National Standard was developed to help identify and assess environmentally preferable furniture. The standard allows for multiple levels of achievement and provides an open alternative to proprietary protocols. Sustainability areas evaluated under the certification process include: Materials, Energy & Atmosphere, Human & Ecosystem Health, and Social Responsibility.

To learn more about the level® program, visit www.levelcertified.org.

LEED - Earn LEED credits for your project

The LEED Green Building Rating System™ supports global adoption of sustainable green building and development practices. By helping projects earn LEED credits, our chairs support LEED's whole-building emphasis on sustainable development, water savings, energy efficiency, materials selection, and indoor environmental quality.

*All projects regardless of location using Seating Inc. products can qualify for the LEED EQ credit 4.5

Commercial & School Interiors: LEED CI Credit Points (2 available)

EQ CREDIT 4.5 OPTION C - Low emitting materials, systems furniture, and seating products.

Requirements: Passing grade for the BIFMA furniture emissions standard by the BIFMA test method M7.1.

Qualifies: 1 LEED credit point

MR CREDIT 5.1 - Regional Materials

Requirements: Use a minimum of 20% of the combined value of construction and Division 12 (furniture) materials and products that are manufactured regionally within a radius of 500 miles.

Qualifies: 1 LEED credit point

New Construction: LEED NC Credit Points (1 available)

MR CREDIT 5.1 - Regional Materials

Requirements: Use a minimum of 20% of the combined value of construction and Division 12 (furniture) materials and products that are manufactured regionally within a radius of 500 miles.

Qualifies: 1 LEED credit point

ANEW - partners in Recovery and Reuse of our products

Seating Inc. cares about the life of our chairs beyond the sale

As part of our sustainability program, and in order to extend our products' life cycle, we've partnered up with ANEW - a company that actively works to repurpose used furniture to benefit organizations in need. "Doing what's right with what's left".

Visit their website to learn more: www.anewfound.org.





CODES & TESTING

ELECTRO-STATIC DISCHARGE (ESD)

Protects sensitive computers & equipment by dissipating electrical charge down through the upholstery and frame of the chair. Includes appropriate grounding. The Seating Inc. ESD process has been tested to meet the ANSI/ESD-STM-12.1-1997 Protection of Electro-Static Discharge, Seating-Resistive Measurement.

Applications: Recommended for locations that work with, or operate sensitive computer and/or electronic equipment like: circuit board manufacturers, computer chip makers, airline flight monitors, aeronautic companies.

Ordering Information: Clearly specify ESD on your order.

Pricing Information: Add \$303 List to the Grade One price.

ESD Option Includes: ESD Fabric or ESD Vinyl choice, modified mechanism, chrome finish cast aluminum base, ESD hard floor casters, and ESD cylinder. ESD Stools include an ESD adjustable foot ring.

Textiles Information: Static conductive upholstery textile choices are limited. Contact the factory for fabric and vinyl choices.

FIRE CODE STANDARDS

CAL 117

All Seating Inc. products conform to California Technical Bulletin 117.

CAL 133

California Technical Bulletin 133 is a more stringent fire test for furniture manufactured for use in certain public areas and buildings. To meet the requirements of the CAL 133 Fire Code, a special Dupont™ blocker material - which prevents fire from spreading - is upholstered between the foam cushions and your textile choice to ensure your chair meets the toughest fire code in the country.

Ordering Information: Clearly specify CAL 133 on your order.

Pricing Information: CAL 133 upcharge is \$59 per yard. Refer to the COM yardage found in the “dimensions” section of each price book page to calculate the correct upcharge for any given model.

GSA INTENSIVE USE TEST

Some Seating Inc. models have passed the GSA Intensive Use FNEW 83-269E Performance Test. This stringent test requires extremely high performance values to ensure chair survivability in a 24/7, SEVERE use environment.

Applications: for users to require compliance with FNEW 83-269E Performance Test

The following configurations meet the above requirements:

- 550 Generous Fit Models with E51 or Q51 mechanisms, armless, or with TH arms.
- 400 Intensive Use Models with Q35 mechanism, armless, or with TH arms.

CERTIFIED ANSI/BIFMA

All Seating Inc. products exceed the requirements of ANSI/BIFMA Standards. Based on successful testing and independent verification.

For detailed information, please contact Seating Inc. at 800.468.2475

Past Performers -

chairs are listed alphabetically, by series, grades 1 - 10

Advent

- current offering can be found on pages 15-20

AD210 Q23	Center Tilt 2:1	631	658	686	694	718	747	777	812	835	864
AD210 Q28	Multi Function	718	746	773	783	806	835	864	900	922	951
AD211 Q23	Center Tilt 2:1	596	620	645	653	675	701	727	758	780	806
AD211 Q28	Multi Function	684	707	732	741	762	788	814	847	867	893
AD212 Q23	Center Tilt 2:1	572	597	621	630	651	677	704	735	756	783
AD221 M22	Manual Back	650	675	699	707	728	755	781	813	834	860
AD222 M22	Manual Back	615	651	676	684	705	731	757	789	810	837
AD234	Sled Base Arm	409	430	450	457	474	497	518	544	562	584
AD233	Sled Base Armless	368	389	409	416	434	456	477	503	522	543

Contour II

- current offering can be found on pages 21-22

CO210 Q23	Center Tilt 2:1	706	755	802	819	860	912	962	1024	1065	1116
CO210 Q28	Multi Function	794	842	890	907	947	999	1050	1111	1152	1203
CO211 Q23	Center Tilt 2:1	672	713	754	768	804	847	891	943	978	1022
CO211 Q28	Multi Function	759	800	841	855	891	934	978	1030	1066	1109

EDU²

- current offering can be found on pages 23-31

EN201 E21	Swivel Tilt	578	616	653	660	665	694	725	759	783	812
EN201 E27	Swivel Knee Tilt	694	732	770	777	783	812	841	876	900	929
EN211 Q23	Center Tilt 2:1	660	698	729	743	748	760	769	796	813	835
ES210 Q23	Center Tilt 2:1	677	721	766	780	818	864	912	967	1004	1051
ES210 Q28	Multi Function	765	809	854	868	905	951	999	1055	1092	1138
ES211 Q23	Center Tilt 2:1	573	613	653	699	734	778	822	875	909	954
ES211 Q28	Multi Function	661	701	741	805	839	883	927	980	1014	1058
ES221 M20	Swivel/Seat Height	654	699	743	751	785	829	873	926	961	1004
ES221 M22	Manual Back	702	746	791	798	834	878	921	974	1010	1052
ES221 Q22	Posture Back	747	792	836	843	879	922	967	1020	1054	1098

Grid and Grid Square

- current offering can be found on pages 35-42, and 75-78

GR200 E21	Swivel Tilt	806	827	847	854	872	893	916	942	959	981
GR200 E27	Swivel Knee Tilt	922	944	963	971	988	1010	1032	1058	1076	1098
GR211 Q23	Center Tilt 2:1	835	855	876	883	901	922	945	971	988	1010
GR211 Q28	Multi Function	922	943	964	971	988	1010	1032	1058	1076	1098
GR221 Q22	Posture Back	934	955	975	983	1000	1022	1044	1070	1088	1109
GR311 Q32	Posture Back	1040	1061	1081	1088	1105	1128	1149	1175	1192	1215
GR311 Q35	Knee Tilt 2:1	1080	1101	1122	1129	1146	1169	1190	1216	1233	1256
GR311 Q38	Multi Function	1121	1142	1162	1170	1187	1209	1231	1257	1274	1296
GRHUB	Upholstered Back	69	96	123	134	157	186	215	251	273	302
GRHR	Grid Round Head Rest	Add \$33									
GS211 Q23	Center Tilt 2:1	835	855	876	883	901	922	945	971	988	1010
GS211 Q28	Multi Function	922	943	964	971	988	1010	1032	1058	1076	1098



Indy

- current offering can be found on pages 45-48

IN222 M20	Swivel/Seat Height	725
IN222 M22	Manual Back Height	771
IN201 E20	Swivel/Seat Height	379

Jay & Jay Nesting

- current offering can be found on pages 49-52

JA200 E21	Swivel Tilt	771	795	819	827	847	873	897	929	948	974
JA200 E27	Swivel Knee Tilt	888	912	935	944	964	989	1015	1045	1066	1091
JA201 E21	Swivel Tilt	735	759	784	792	812	837	863	893	914	940
JA201 E27	Swivel Knee Tilt	852	877	901	908	929	955	980	1010	1030	1056
JA203 E20	Swivel/Seat Height	578	600	623	632	651	675	700	728	747	772
JA203 E21	Swivel Tilt	636	659	681	690	710	733	758	787	807	831
JA204 E20	Swivel/Seat Height	613	635	658	666	686	711	734	764	783	807
JA204 E21	Swivel Tilt	672	693	716	725	744	769	793	822	841	865
JA210 Q22	Posture Back	823	848	872	879	900	926	950	981	1001	1027
JA210 Q23	Center Tilt 2:1	841	865	889	896	917	943	968	999	1018	1044
JA210 Q24	Weight Activated	892	916	940	947	968	994	1018	1050	1069	1095
JA210 Q25	Knee Tilt 2:1	912	935	959	967	987	1013	1038	1068	1089	1115
JA210 Q28	Multi Function	929	953	976	985	1004	1030	1055	1086	1106	1132
JA211 Q22	Posture Back	788	812	836	845	865	890	916	946	967	991
JA211 Q23	Center Tilt 2:1	806	829	853	862	882	907	933	963	984	1009
JA211 Q24	Weight Activated	856	880	904	913	933	958	984	1014	1035	1059
JA211 Q25	Knee Tilt 2:1	876	900	923	932	953	977	1003	1034	1054	1079
JA211 Q28	Multi Function	893	917	942	949	970	995	1021	1051	1071	1097
JA221 Q22	Posture Back	838	860	882	890	909	932	956	984	1003	1026
JA223 E20	Swivel/Seat Height	613	635	658	665	684	707	731	760	779	802
JA224 E20	Swivel/Seat Height	643	664	687	694	714	737	760	789	808	832
JN245B	Tablet Arm, Black	915	936	959	972	994	1020	1045	1078	1098	1124
JN245S	Tablet Arm, Silver	915	936	959	972	994	1020	1045	1078	1098	1124
JN204 E20	Swivel/Seat Height	762	785	807	821	841	868	894	926	947	973
JN203 E20	Swivel/Seat Height	745	768	789	804	824	850	877	908	929	956
JN224 E20	Swivel/Seat Height	880	902	924	937	958	984	1011	1042	1064	1090
JN223 E20	Swivel/Seat Height	862	885	906	920	942	968	994	1025	1045	1072
JHUB	Upholstered Back	58	85	112	123	146	175	204	240	262	292
JMUB	Upholstered Back	46	69	91	98	118	141	165	193	213	235
JSUB	Upholstered Back	41	58	75	80	94	111	129	149	163	181

old favorites

Monterey II

- current offering can be found on pages 55-60, 79-82, and 89-90

MO200 E21	Swivel Tilt	765	825	886	906	958	1022	1086	1163	1215	1279
MO200 E27	Swivel Knee Tilt	882	942	1002	1023	1075	1138	1203	1280	1332	1395
MO210 Q23	Center Tilt 2:1	841	899	956	976	1025	1086	1148	1221	1270	1332
MO210 Q28	Multi Function	929	986	1044	1064	1112	1174	1236	1309	1358	1419
MO211 Q23	Center Tilt 2:1	806	860	913	831	976	1034	1091	1159	1204	1261
MO211 Q28	Multi Function	893	947	1000	1018	1065	1121	1178	1246	1292	1349
MO212 Q23	Center Tilt 2:1	783	828	874	889	927	975	1024	1081	1120	1169
MO310 Q38	Multi Function	1128	1185	1242	1263	1311	1373	1434	1508	1556	1618
MO311 Q38	Multi Function	1092	1146	1199	1217	1263	1320	1377	1445	1490	1548

Past Performers -

chairs are listed alphabetically, by series, grades 1 - 10

Monterey II, continued

- current offering can be found on pages 55-60, 79-82, and 89-90

MO334	Sled Base Arm	619	660	702	715	751	794	838	891	926	970
MO333	Sled Base Armless	596	636	678	692	727	771	814	867	902	946
MO336	Sled Base Arm	643	684	726	739	773	818	862	914	949	993
MO335	Sled Base Armless	619	660	702	715	751	794	838	891	926	970

Pearl II

- current offering can be found on pages 61-64, 83-86, and 91-92

PE210 Q23	Center Tilt 2:1	783	835	887	905	949	1004	1059	1126	1171	1227
PE210 Q28	Multi Function	870	922	974	993	1037	1092	1148	1214	1258	1314
PE211 Q23	Center Tilt 2:1	747	794	841	856	896	946	996	1055	1095	1145
PE211 Q28	Multi Function	835	881	929	944	984	1034	1083	1143	1183	1232
PE212 Q23	Center Tilt 2:1	725	765	807	821	855	900	943	996	1030	1075
PE310 Q38	Multi Function	1057	1109	1161	1179	1224	1279	1335	1401	1445	1501
PE311 Q38	Multi Function	1022	1069	1116	1131	1171	1220	1270	1329	1369	1419

Tradition

- current offering can be found on pages 67-69

TT200 E21	Swivel Tilt	841	936	1034	1044	1056	1128	1199	1285	1342	1414
TT200 E27	Swivel Knee Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531
TB201 E21	Swivel Tilt	806	894	985	1001	1050	1110	1171	1243	1291	1351
TB201 E27	Swivel Knee Tilt	922	1012	1102	1118	1166	1227	1287	1360	1407	1468
TP201 E21	Swivel Tilt	806	894	985	1001	1050	1110	1171	1243	1291	1351
TP201 E27	Swivel Knee Tilt	922	1012	1102	1118	1166	1227	1287	1360	1407	1468
TT201 E21	Swivel Tilt	806	894	985	1001	1050	1110	1171	1243	1291	1351
TT201 E27	Swivel Knee Tilt	922	1012	1102	1118	1166	1227	1287	1360	1407	1468
TB210 Q22	Posture Back	912	973	1035	1053	1105	1170	1233	1311	1362	1427
TB210 Q25	Synchro Tilt	999	1061	1122	1140	1192	1256	1321	1399	1450	1514
TB210 Q28	Multi Function	1016	1078	1139	1158	1210	1274	1338	1416	1468	1533
TP210 Q22	Posture Back	912	973	1035	1053	1105	1170	1233	1311	1362	1427
TP210 Q25	Synchro Tilt	999	1061	1122	1140	1192	1256	1321	1399	1450	1514
TP210 Q28	Multi Function	1016	1078	1139	1158	1210	1274	1338	1416	1468	1533
TT210 Q22	Posture Back	912	973	1035	1053	1105	1170	1233	1311	1362	1427
TT210 Q25	Synchro Tilt	999	1061	1122	1140	1192	1256	1321	1399	1450	1514
TT210 Q28	Multi Function	1016	1078	1139	1158	1210	1274	1338	1416	1468	1533
TB211 Q22	Posture Back	876	931	986	1002	1048	1106	1162	1231	1277	1335
TB211 Q25	Synchro Tilt	963	1018	1074	1090	1135	1193	1250	1319	1364	1422
TB211 Q28	Multi Function	981	1036	1091	1107	1153	1210	1268	1336	1382	1439
TP211 Q22	Posture Back	876	931	986	1002	1048	1106	1162	1231	1277	1335
TP211 Q25	Synchro Tilt	963	1018	1074	1090	1135	1193	1250	1319	1364	1422
TP211 Q28	Multi Function	981	1036	1091	1107	1153	1210	1268	1336	1382	1439
TT211 Q22	Posture Back	876	931	986	1002	1048	1106	1162	1231	1277	1335
TT211 Q25	Synchro Tilt	963	1018	1074	1090	1135	1193	1250	1319	1364	1422
TT211 Q28	Multi Function	981	1036	1091	1107	1153	1210	1268	1336	1382	1439



Tradition, continued

- current offering can be found on pages 67-69

TB300 E31	Swivel Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531
TB300 E37	Swivel Knee Tilt	1075	1171	1267	1278	1290	1361	1432	1518	1577	1648
TP300 E31	Swivel Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531
TP300 E37	Swivel Knee Tilt	1075	1171	1267	1278	1290	1361	1432	1518	1577	1648
TT300 E31	Swivel Tilt	958	1054	1150	1161	1173	1244	1315	1402	1459	1531
TT300 E37	Swivel Knee Tilt	1075	1171	1267	1278	1290	1361	1432	1518	1577	1648
TB310 Q32	Posture Back	1028	1090	1151	1171	1221	1286	1351	1428	1479	1543
TB310 Q35	Synchro Tilt	1116	1177	1239	1257	1309	1374	1437	1515	1567	1631
TB310 Q38	Multi Function	1133	1194	1257	1274	1327	1391	1455	1534	1584	1649
TP310 Q32	Posture Back	1028	1090	1151	1171	1221	1286	1351	1428	1479	1543
TP310 Q35	Synchro Tilt	1116	1177	1239	1257	1309	1374	1437	1515	1567	1631
TP310 Q38	Multi Function	1133	1194	1257	1274	1327	1391	1455	1534	1584	1649
TT310 Q32	Posture Back	1028	1090	1151	1171	1221	1286	1351	1428	1479	1543
TT310 Q35	Synchro Tilt	1116	1177	1239	1257	1309	1374	1437	1515	1567	1631
TT310 Q38	Multi Function	1133	1194	1257	1274	1327	1391	1455	1534	1584	1649
TP500 E51	Swivel Tilt	1752	1854	1958	1976	2058	2161	2263	2386	2468	2569
TB500 E51	Swivel Tilt	1752	1854	1958	1976	2058	2161	2263	2386	2468	2569
TT500 E51	Swivel Tilt	1752	1854	1958	1976	2058	2161	2263	2386	2468	2569

PNEUMATIC CYLINDERS

300	MECH	E20	E21	E27	M20	M22	Q22	Q23	Q24	Q25	Q28
------------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Cylinder

DISCONTINUED #039	15.75 / 20.5	16.5 / 21.25	18.5 / 23.25	15.75 / 20.5	15.25 / 20	15.25 / 20	16.25 / 21	17.25 / 22	17.25 / 22	17.25 / 22
#195	15 / 20.5	16 / 21.25	17.25 / 23.25	15 / 20.5	14.5 / 20	14.5 / 20	15.25 / 21	16.25 / 22	16.5 / 22	16.25 / 22
#217	15 / 18.5	16 / 19.5	17.25 / 20.75	15 / 18.5	14.5 / 18	14.5 / 18	15.25 / 18.75	16.25 / 19.75	16.5 / 20	16.25 / 19.75
CYLS	14 / 16.75	15 / 17.75	16.5 / 19.25	14 / 16.75	13.5 / 16.25	13.5 / 16.25	14.25 / 17	15.25 / 18	15.5 / 18.25	15.25 / 18
CYLT	17.5 / 22.25	18 / 23.25	19.75 / 25	17.5 / 22.25	16 / 21.25	16 / 21.25	17.5 / 22.75	18.75 / 24	19.25 / 24.5	18.75 / 24
MID	19 / 26.5			19 / 26.5	18.5 / 26	18.5 / 26		20.5/28		20.5/28
FULL	23.5 / 33			23.5 / 33	23 / 32.5	23 / 32.5		25/34.5		25/34.5

400	MECH	E31	E37	Q30	Q32	Q35	Q38
------------	------	-----	-----	-----	-----	-----	-----

Cylinder

DISCONTINUED #039HD	16.5 / 21.25	18.5 / 23.25	16.25 / 21	17 / 21.75	17.25 / 22	17.25 / 22
#195HD	16 / 21.25	17.25 / 23.25	15.25 / 21	14.5 / 20	16.5 / 22	16.25 / 22
#217HD	16 / 19.5	17.25 / 20.75	15.25 / 18.75	15.75 / 19.25	16.5 / 20	16.25 / 19.75
CYLSHD	15 / 17.75	16.5 / 19.25	14.25 / 17	14.75 / 17.5	15.5 / 18.25	15.25 / 18
CYLTHD	18 / 23.25	19.75 / 25	17.25 / 22.5	18 / 23.25	19.25 / 24.5	18.75 / 24
MIDHD			19.25 / 26.75	19.5 / 27		
FULLHD			23.25 / 32.75	23.5 / 33		

550	MECH	E51	Q51
------------	------	-----	-----

Cylinder

#039HD	17.25 / 22	17.25 / 22
CYLSHD	14.25 / 17.25	14.25 / 17.25
CYLTHD	19 / 24	19 / 24

Medical	MODEL	HE06 STOOL	HE07 ARM STOOL	HE08 FOOT REST	HE09 SIT/STAND
----------------	-------	------------	----------------	----------------	----------------

Cylinder

#039	16 / 20.75	16 / 20.75	16 / 20.75
#217	15 / 18.5	15 / 18.5	15 / 18.5
CYLS	14 / 17	14 / 17	
CYLT	17.5 / 22.5	17.5 / 22.5	17.5 / 22.5
MID	19 / 26.5	19 / 26.5	19 / 26.5
FULL	23.5 / 33	23.5 / 33	23.5 / 33

Indy	MODEL	INO9 SIT/STAND
-------------	-------	----------------

Cylinder

CYLT	17.5 / 22.25
MID	19.25 / 26.75
FULL	23.25 / 32.75

Highlighted areas denote standard cylinder used. Optional cylinders are available within the same column

Updated 2019.6



seating inc.
INDEX

MODEL

PAGE



Advent Task	15
Advent Stool	17
Advent Multipurpose	19
Contour II Task	21
EDU ² Task (Mesh)	23
EDU ² Swivel	25
EDU ² Task	27
EDU ² Multipurpose	29
EDU ² Guest	30
EDU ² Guest 2-Position	31
Fit Swivel	33
Grid Swivel (Square)	35
Grid Task	37
Grid Task (Square)	39
Grid Stool (Square)	41
Health Stool	43
Health Leg Rest	44
Indy Multipurpose Sled	47
Indy Multipurpose	48
Indy Task	45
Jay Multipurpose	49
Jay Multipurpose Sled	50
Jay Nesting	52
K Swivel	53
Monterey II Task	55
Monterey II Stool	57
Monterey II Multipurpose	59
Monterey II Guest	60
Pearl II Task	61
Pearl II Stool	63
Saddle Swivel	65
Tradition Swivel	67
Tradition Guest	69
Voyager	71
Zon Multipurpose Sled	72

MODEL

PAGE



Grid Task (Square)	75
Grid Stool (Square)	77
Monterey II Task	79
Monterey II Stool	81
Pearl II Task	83
Pearl II Stool	85



Monterey II Task	89
Pearl II Task	91

MODEL

PAGE

Past Performers



Advent Guest	97
EDU ² Swivel (Mesh)	97
EDU ² Stool	97
Grid Swivel	97
Indy Stool	98
Jay Swivel	98
Jay Task	98
Jay Stool	98
Jay Nest-it Swivel	98
Jay Nest-it Stool	98
Monterey II Swivel	98
Tradition Task	99



Grid Task	97
Monterey II Guest	99
Monterey II Guest 2-Position	99
Tradition Swivel	100
Tradition Task	100



Tradition Swivel	100
------------------	-----



Every seat has a story.

It starts with genuine, hands on craftsmanship where both style and materials are tested and trusted, right down the production line, all the way to the satisfied customer. And it's been that since 1989.

For us quality isn't just a word, it's the only way, and it never takes a backseat to the bottom line. That's why your seat is safe with us.

Good ergonomic design provides seating solutions that increase worker comfort, health and productivity, which is why we build chairs to fit the whole person. Whatever the body size or shape, our custom configured chairs are designed to reduce strain and help the user feel comfortable all day.

Everyday Seating that's custom-crafted to fit every ergonomic need for single user (up to 300 pounds) working up to 8 hours a day, 5 days a week.

Intensive Use Designed for work in the toughest of settings, where multiple user (up to 400 pounds) share the chair and shifts work around the clock.

Generous Fit. Get a chair that offers performance and support for the larger user (up to 550 pounds) and has also been tested for intensive use situations.